

CBAS[®] Heparin Surface Reference List

Table of contents

Basic science	2
Experimental in vitro – Biocompatibility	2
Experimental in vitro – Other	6
Experimental in vivo – Extracorporeal circulation; Cardiovascular surgery	7
Experimental in vivo – Extracorporeal circulation; Long term assist.....	8
Experimental in vivo – Extracorporeal circulation; Other	9
Experimental in vivo – Ventricular assist	9
Experimental in vivo – Peripheral vascular surgery	9
Experimental in vivo – Coronary stenting.....	10
Experimental in vivo – Peripheral stenting	10
Experimental in vivo – Other.....	10
Clinical – Extracorporeal circulation; Cardiovascular surgery	11
Clinical – Extracorporeal circulation; Long term assist.....	19
Clinical – Extracorporeal circulation; Other	21
Clinical – Ventricular assist.....	22
Clinical – Peripheral vascular surgery.....	25
Clinical – Coronary stenting.....	27
Clinical – Peripheral stenting	29
Clinical – Other.....	31
Review articles	32

Basic science

Hoffman, J.; Larm, O.; Scholander, E., A new method for covalent coupling of heparin and other glycosaminoglycans to substances containing primary amino groups. *Carbohydr Res* **1983**, 117, 328-331.

Pejler, G.; Lindahl, U.; Larm, O.; Scholander, E.; Sandgren, E.; Lundblad, A., Monoclonal antibodies specific for oligosaccharides prepared by partial nitrous acid deamination of heparin. *J Biol Chem* **1988**, 263, (11), 5197-5201.

Bertilsson, L.; Elwing, H.; Liedberg, B.; Larm, O.; Riesenfeld, J.; Scholander, E.; Infrared characterization of complex sandwich structures: heparin immobilization on polyethylene surfaces. *Molecular Engineering* **1991**, 1, 49-57.

Experimental in vitro – Biocompatibility

Larm, O.; Larsson, R.; Olsson, P., A new non-thrombogenic surface prepared by selective covalent binding of heparin via a modified reducing terminal residue *Biomater Med Devices Artif Organs*, **1983**, 11, 161-173.

Pasche, B.; Kodama, K.; Larm, O.; Olsson, P.; Swedenborg, J., Thrombin inactivation on surfaces with covalently bonded heparin. *Thromb Res* **1986**, 44, (6), 739-748.

Arnander, C.; Dryjski, M.; Larsson, R.; Olsson, P.; Swedenborg, J., Thrombin uptake and inhibition on endothelium and surfaces with a stable heparin coating: a comparative in vitro study. *J Biomed Mater Res* **1986**, 20, (2), 235-246.

Larm, O.; Lins, L. E.; Olsson, P., An approach to antithrombosis by surface modification. *Progress in Artificial Organs* **1986**, 313-318.

Arnander, C.; Pasche, B.; Kodama, K.; Rasmuson, A.; Olsson, P., Influence of high and low wall shear rates on the inhibition of factor Xa and thrombin at surfaces coated with immobilized heparin. *Artif Organs* **1989**, 13, (6), 521-526.

Pasche, B.; Elgue, G.; Olsson, P.; Riesenfeld, J.; Rasmuson, A., Binding of antithrombin to immobilized heparin under varying flow conditions. *Artif Organs* **1991**, 15, (6), 481-491.

Kodama, K.; Pasche, B.; Olsson, P.; Swedenborg, J.; Adolfsson, L.; Larm, O.; Riesenfeld, J., Antithrombin III binding to surface immobilized heparin and its relation to F Xa inhibition. *Thromb Haemost* **1987**, 58, (4), 1064-1067.

Videm, V.; Mollnes, T. E.; Garred, P.; Svennevig, J. L., Biocompatibility of extracorporeal circulation. In vitro comparison of heparin-coated and uncoated oxygenator circuits. *J Thorac Cardiovasc Surg* **1991**, 101, (4), 654-660.

Videm, V.; Nilsson, L.; Venge, P.; Svennevig, J. L., Reduced granulocyte activation with a heparin-coated device in an in vitro model of cardiopulmonary bypass. *Artif Organs* **1991**, 15, (2), 90-95.

Stenach, N.; Korn, R. L.; Fisher, C. A.; Jeevanandam, V.; Addonizio, V. P., The effects of heparin bound surface modification (Carmeda Bioactive Surface) on human platelet alterations during simulated extracorporeal circulation. *J Extra Corpor Technol* **1992**, 24, (3), 97-102.

Nilsson, U. R.; Larm, O.; Nilsson, B.; Storm, K. E.; Elwing, H.; Nilsson Ekdahl, K., Modification of the complement binding properties of polystyrene: effects of end-point heparin attachment. *Scand J Immunol* **1993**, 37, (3), 349-354.

Elgue, G.; Sanchez, J.; Egberg, N.; Olsson, P.; Riesenfeld, J., Effect of surface-immobilized heparin on the activation of adsorbed factor XII. *Artif Organs* **1993**, 17, (8), 721-726.

Elgue, G.; Blomback, M.; Olsson, P.; Riesenfeld, J., On the mechanism of coagulation inhibition on surfaces with end point immobilized heparin. *Thromb Haemost* **1993**, 70, (2), 289-293.

Wendel, H. P.; Heller, W.; Gallimore, M. J.; Hoffmeister, H. E., Heparin-coated oxygenators significantly reduce contact system activation in an in vitro cardiopulmonary bypass model. *Blood Coagul Fibrinolysis* **1994**, 5, (5), 673-678.

Mollnes, T. E.; Riesenfeld, J.; Garred, P.; Nordstrom, E.; Hogasen, K.; Fosse, E.; Gotze, O.; Harboe, M., A new model for evaluation of biocompatibility: combined determination of neoepitopes in blood and on artificial surfaces demonstrates reduced complement activation by immobilization of heparin. *Artif Organs* **1995**, 19, (9), 909-917.

Sanchez, J.; Elgue, G.; Riesenfeld, J.; Olsson, P., Control of contact activation on end-point immobilized heparin: the role of antithrombin and the specific antithrombin-binding sequence. *J Biomed Mater Res* **1995**, 29, (5), 655-661.

Orvim, U.; Barstad, R. M.; Vlasuk, G. P.; Sakariassen, K. S., Effect of selective factor Xa inhibition on arterial thrombus formation triggered by tissue factor/factor VIIa or collagen in an ex vivo model of shear-dependent human thrombogenesis. *Arterioscler Thromb Vasc Biol* **1995**, 15, (12), 2188-2194.

Korn, R. L.; Fisher, C. A.; Livingston, E. R.; Stenach, N.; Fishman, S. J.; Jeevanadam, V.; Addonizio, V. P., The effects of Carmeda Bioactive Surface on human blood components during simulated extracorporeal circulation. *J Thorac Cardiovasc Surg* **1996**, 111, (5), 1073-1084.

Moen, O.; Fosse, E.; Braten, J.; Andersson, C.; Hogasen, K.; Mollnes, T. E.; Venge, P.; Kierulf, P., Differences in blood activation related to roller/centrifugal pumps and heparin-coated/uncoated surfaces in a cardiopulmonary bypass model circuit. *Perfusion* **1996**, 11, (2), 113-123.

Yii, M.; Gourlay, T.; Fleming, J.; Matata, B.; Taylor, K. M., Evaluation of Carmeda bioactive surface (CBAS), Duraflo II and a novel nonspecific protease-modified surface using a new in vitro model simulating cardiopulmonary bypass. *Perfusion JT - Perfusion* **1996**, 11, (3), 229-240.

Wendel, H. P.; Heller, W.; Gallimore, M. J., Heparin-coated devices and high-dose aprotinin optimally inhibit contact system activation in an in vitro cardiopulmonary bypass model. *Immunopharmacology* **1996**, 32, (1-3), 128-130.

Baba, T.; Morisita, K.; Sakata, J.; Ito, T.; Hachiro, Y.; Kazui, T.; Abe, A.; Komatu, S., Experimental studies on three types of heparin-coated cardiopulmonary bypass circuits. *Artif Organs* **1997**, 21, (7), 779-781.

Hogevold, H. E.; Moen, O.; Fosse, E.; Venge, P.; Braten, J.; Andersson, C.; Lyberg, T., Effects of heparin coating on the expression of CD11b, CD11c and CD62L by leucocytes in extracorporeal circulation in vitro. *Perfusion* **1997**, 12, (1), 9-20.

Borowiec, J. W.; Venge, P.; Henze, A.; Nilsson, B.; Stiernstrom, H., Biomaterial-dependent blood activation during simulated extracorporeal circulation: a study of heparin-coated and uncoated circuits. *Thorac Cardiovasc Surg* **1997**, 45, (6), 295-301.

Borowiec, J.; Jaramillo, A.; Venge, P.; Nilsson, L.; Thelin, S., Effects of heparin-coating of cardiopulmonary bypass circuits on leukocytes during simulated extracorporeal circulation. *Cardiovasc Surg* **1997**, 5, (6), 568-573.

Garred, P.; Mollnes, T. E., Immobilized heparin inhibits the increase in leukocyte surface expression of adhesion molecules. *Artif Organs* **1997**, 21, (4), 293-299.

- Sanchez, J.; Elgue, G.; Riesenfeld, J.; Olsson, P., Inhibition of the plasma contact activation system of immobilized heparin: relation to surface density of functional antithrombin binding sites. *J Biomed Mater Res* **1997**, 37, (1), 37-42.
- Hachiro, Y.; Morishita, K.; Ito, T.; Sakata, J.; Baba, T.; Tsukamoto, M.; Abe, T., The method for keeping low perfusion flow weaning from centrifugal pumps: an evaluation of hemolysis in the circulator units. *Artif Organs* **1997**, 21, (7), 710-713.
- Bannan, S.; Danby, A.; Cowan, D.; Ashraf, S.; Gesinde, M.; Martin, P., Cell activation and thrombin generation in heparin bonded cardiopulmonary bypass circuits using a novel in vitro model. *Eur J Cardiothorac Surg* **1997**, 12, (2), 268-275.
- Bannan, S.; Martin, P. G., Aprotinin complements heparin bonding in an in vitro model of cardiopulmonary bypass. *Br J Haematol* **1998**, 101, (3), 455-461.
- Hayashi, Y.; Sawa, Y.; Nishimura, M.; Chang, J. C.; Amemiya, A.; Kagisaki, K.; Taketani, S.; Yamaguchi, T.; Hirata, N.; Ohtake, S.; Matsuda, H., Nitric oxide gas infusion to the oxygenator enhances the biocompatibility of heparin coated extracorporeal bypass circuits. *ASAIO J* **1998**, 44, (5), M456-61.
- Sanchez, J.; Elgue, G.; Riesenfeld, J.; Olsson, P., Studies of adsorption, activation, and inhibition of factor XII on immobilized heparin. *Thromb Res* **1998**, 89, (1), 41-50.
- Lundberg, F.; Falkenback, D.; Bekassy, A. N.; Jennerberg, M.; Riesenfeld, J.; Ljungh, A., Doxorubicin reversibly decreases the antithrombogenicity of heparin immobilized on central venous catheters. *Pediatr Hematol Oncol* **1998**, 15, (1), 23-35.
- Barstad, R. M.; Hamers, M. J.; Moller, A. S.; Sakariassen, K. S., Monocyte procoagulant activity induced by adherence to an artificial surface is reduced by end-point immobilized heparin-coating of the surface. *Thromb Haemost* **1998**, 79, (2), 302-305.
- Niimi, Y.; Ichinose, F.; Ishiguro, Y.; Terui, K.; Uezono, S.; Morita, S.; Yamane, S., The effects of heparin coating of oxygenator fibers on platelet adhesion and protein adsorption. *Anesth Analg* **1999**, 89, (3), 573-579
- Wendel, H. P.; Scheule, A. M.; Eckstein, F. S.; Ziemer, G., Haemocompatibility of paediatric membrane oxygenators with heparin-coated surfaces. *Perfusion* **1999**, 14, (1), 21-28.
- Mollnes, T. E.; Videm, V.; Christiansen, D.; Bergseth, G.; Riesenfeld, J.; Hovig, T., Platelet compatibility of an artificial surface modified with functionally active heparin. *Thromb Haemost* **1999**, 82, (3), 1132-1136.
- Wendel, H. P.; Schulze, H. J.; Heller, W.; Hoffmeister, H. M., Platelet protection in coronary artery surgery: benefits of heparin-coated circuits and high-dose aprotinin therapy. *J Cardiothorac Vasc Anesth* **1999**, 13, (4), 388-392.
- Hammaren, E.; Rosenberg, P. H.; Hynynen, M., Coating of extracorporeal circuit with heparin does not prevent sequestration of propofol in vitro. *Br J Anaesth* **1999**, 82, (1), 38-40.
- Baksaas, S. T.; Videm, V.; Pedersen, T.; Karlsen, H.; Mollnes, T. E.; Brosstad, F.; Svennevig, J. L., Comparison of three oxygenator-coated and one total-circuit-coated extracorporeal devices. *Perfusion* **1999**, 14, (2), 119-127.
- Wendel, H. P.; Weber, N.; Ziemer, G., Increased adsorption of high molecular weight kininogen to heparin-coated artificial surfaces and correlation to hemocompatibility. *Immunopharmacology JT - Immunopharmacology* **1999**, 43, (2-3), 149-153.
- Weber, N.; Wendel, H. P.; Ziemer, G., Quality assessment of heparin coatings by their binding capacities of coagulation and complement enzymes. *J Biomater Appl* **2000**, 15, (1), 8-22.
- Munch, K.; Wolf, M. F.; Gruffaz, P.; Ottenwaelter, C.; Bergan, M.; Schroeder, P.; Fogt, E. J., Use of simple and complex in vitro models for multiparameter characterization of human blood-material/device interactions. *J Biomater Sci Polym Ed* **2000**, 11, (11), 1147-1163.

Wendel, H. P.; Weber, N.; Ziemer, G., Comparative studies of the adsorption behavior of plasma proteins to heparin-coated surfaces. *Biomed Tech (Berl)* **2000**, 45, (10), 282-287.

Scholz, T.; Solberg, R.; Okkenhaug, C.; Videm, V.; Gallimore, M. J.; Mathisen, O.; Pedersen, T.; Mollnes, T. E.; Bergan, A.; Soreide, O.; Klintmalm, G. B.; Aasen, A. O., Veno-venous bypass in liver transplantation: heparin-coated perfusion circuits reduce the activation of humoral defense systems in an in vitro model. *Perfusion* **2001**, 16, (4), 285-292.

Niimi, Y.; Ishiguro, Y.; Nakata, Y.; Goto, T.; Morita, S.; Yamane, S., Platelet adhesion to heparin coated oxygenator fibers under in vitro static conditions: impact of temperature. *ASAIO J* **2001**, 47, (4), 361-364.

Scholz, T.; Solberg, R.; Okkenhaug, C.; Videm, V.; Gallimore, M. J.; Mathisen, O.; Pedersen, T.; Mollnes, T. E.; Bergan, A.; Soreide, O.; Klintmalm, G. B.; Aasen, A. O., Veno-venous bypass in liver transplantation: heparin-coated perfusion circuits reduce the activation of humoral defense systems in an in vitro model. *Perfusion* **2001**, 16, (4), 285-292.

Weber, N.; Wendel, H. P.; Ziemer, G., Hemocompatibility of heparin-coated surfaces and the role of selective plasma protein adsorption. *Biomaterials* **2002**, 23, (2), 429-439.

Kopp, R.; Mottaghy, K.; Kirschfink, M., Mechanism of complement activation during extracorporeal blood-biomaterial interaction: effects of heparin coated and uncoated surfaces. *ASAIO J* **2002**, 48, (6), 598-605.

Hayashi, Y.; Sawa, Y.; Hirata, N.; Nishimura, M.; Ueda, H.; Naka, Y.; Yamaguchi, T.; Ohtake, S.; Matsuda, H., Improvement of bypass circuit biocompatibility: comparison and combination of heparin-coated circuit and nitric oxide gas infusion. *J Card Surg* **2002**, 17, (6), 477-484.

Cornelius, R. M.; Sanchez, J.; Olsson, P.; Brash, J. L., Interactions of antithrombin and proteins in the plasma contact activation system with immobilized functional heparin. *J Biomed Mater Res* **2003**, 67A, (2), 475-483.

Weber, N.; Caliebe, J.; Ziemer, G.; Wendel, H. P., Material-dependent levels of heat-shock protein 70 (hsp70) in human plasma following contact of blood with artificial surfaces. *J Biomater Sci Polym Ed* **2003**, 14, (8), 747-760.

Videm, V., Endpoint-attached heparin blocks neutrophil sticking and spreading. *Biomaterials* **2004**, 25, (1), 43-51.

Lappegard, K. T.; Fung, M.; Bergseth, G.; Riesenfeld, J.; Lambris, J. D.; Videm, V.; Mollnes, T. E., Effect of complement inhibition and heparin coating on artificial surface-induced leukocyte and platelet activation. *Ann Thorac Surg* **2004**, 77, (3), 932-941.

Lappegard, K. T.; Fung, M.; Bergseth, G.; Riesenfeld, J.; Mollnes, T. E., Artificial surface-induced cytokine synthesis: effect of heparin coating and complement inhibition. *Ann Thorac Surg* **2004**, 78, (1), 38-44.

Lappegard, K. T.; Riesenfeld, J.; Brekke, O. L.; Bergseth, G.; Lambris, J. D.; Mollnes, T. E., Differential effect of heparin coating and complement inhibition on artificial surface-induced eicosanoid production. *Ann Thorac Surg JT - The Annals of thoracic surgery*. **2005**, 79, (3), 917-923.

Heyligers, J. M.; Verhagen, H. J.; Rotmans, J. I.; Weeterings, C.; de Groot, P. G.; Moll, F. L.; Lisman, T., Heparin immobilization reduces thrombogenicity of small-caliber expanded polytetrafluoroethylene grafts. *J Vasc Surg JT - Journal of vascular surgery : official publication, the Society for Vascular Surgery [and] International Society for Cardiovascular* **2006**, 43, (3), 587-591.

Lappegard, K. T.; Bergseth, G.; Riesenfeld, J.; Pharo, A.; Magotti, P.; Lambris, J. D.; Mollnes, T. E., The artificial surface-induced whole blood inflammatory reaction revealed by increases in a series of chemokines and growth factors is largely complement dependent. *J Biomed Mater Res A* **2008**, 87, (1), 129-135.

Bergseth, G.; Lambris, J. D.; Mollnes, T. E.; Lappegard, K. T., Artificial surface-induced inflammation relies on complement factor 5: proof from a deficient person. *Ann Thorac Surg* **2011**, 91, (2), 527-533.

Gore, S.; Andersson, J.; Biran, R.; Underwood, C.; Riesenfeld, J. Heparin Surfaces: Impact of Immobilization Chemistry on Hemocompatibility and Protein Adsorption. *J. Biomed. Mater. Res. - Part B Appl. Biomater.* **2014**, 102 (8), 1817–1824.

Experimental in vitro – Other

Mottaghy, K.; Oedekoven, B.; Starmans, H.; Muller, B.; Kashefi, A.; Hoffmann, B.; Bohm, S., Technical aspects of plasma leakage prevention in microporous capillary membrane oxygenators. *ASAIO Trans* **1989**, 35, (3), 640-643.

Vocelka, C. R.; Thomas, R.; Verrier, E.; Kunzelman, K., An in vitro comparison of gas transfer and pressure drop of the Bentley Duraflo Coated Spiral Gold and the Medtronic Carmeda Coated Maxima hollow fiber membrane oxygenators. *J Extra Corpor Technol* **1997**, 29, (4), 185-188.

Zdanowski, Z.; Koul, B.; Hallberg, E.; Schalen, C., Influence of heparin coating on in vitro bacterial adherence to poly(vinyl chloride) segments. *J Biomater Sci Polym Ed* **1997**, 8, (11), 825-832.

Walczak, R.; Lawson, D. S.; Kaemmer, D.; McRobb, C.; McDermott, P.; Smigla, G.; Shearer, I.; Lodge, A.; Jaggars, J., Evaluation of a preprimed microporous hollow-fiber membrane for rapid response neonatal extracorporeal membrane oxygenation. *Perfusion JT - Perfusion* **2005**, 20, (5), 269-75.

Hildenbrand, S. L.; Lehmann, H. D.; Wodarz, R.; Ziemer, G.; Wendel, H. P., PVC-plasticizer DEHP in medical products: do thin coatings really reduce DEHP leaching into blood? *Perfusion* **2005**, 20, (6), 351-357.

Alexander, P. J.; Lawson, D. S.; Cornell, J.; Craig, D. M.; Cheifetz, I. M., Insensible water loss from the medtronic minimax oxygenator: an In Vitro study. *ASAIO J* **2006**, 52, (2), 206-210.

Dwyer, A.; Sukavaneshvar, S.; Nimkar, S.; Aronoff, G. In *Surface heparinization of hemodialysis catheters reduces thrombus and fibrin sheath formation*, ASDIN Annual scientific meeting, **2006**.

Sakariassen, K. S., Thrombus formation on apex of arterial stenosis: the need for a fluid high shear stenosis diagnostic device. *Future cardiology* **2007**, 3, (2), 193-201.

Urban, K.; Redford, D.; Larson, D. F., Insulin binding to the cardiopulmonary bypass biomaterials. *Perfusion* **2007**, 22, (3), 207-210.

Sakariassen, K. S., Validation of the human tissue factor/FVIIa complex as an antithrombotic target and the discovery of a synthetic peptide. *Future cardiology* **2007**, 3, (3), 249-262.

Burkhart, H. M.; Joyner, N.; Niles, S.; Ploessl, J.; Everett, J.; Iannettoni, M.; Richenbacher, W., Presence of plasticizer di-2(ethylhexyl)phthalate in primed extracorporeal circulation circuits. *ASAIO J* **2007**, 53, (3), 365-367.

Zhao, X.; Courtney, J. M.; Yin, H. Q.; West, R. H.; Lowe, G. D., Blood interactions with plasticised poly (vinyl chloride): influence of surface modification. *J Mater Sci Mater Med* **2008**, 19, (2), 713-719.

Experimental in vivo – Extracorporeal circulation; Cardiovascular surgery

Bagge, L.; Thelin, S.; Hultman, J.; Nilsson, L.; Thorelius, J.; Hillstrom, P. A., Heparin-coated CPB-sets increase biocompatibility and reduce endothelial cell damage in pigs. *J Cardiothorac Anesth* **1989**, 3, (5 Suppl 1), 84.

Nilsson, L.; Storm, K. E.; Thelin, S.; Bagge, L.; Hultman, J.; Thorelius, J.; Nilsson, U., Heparin-coated equipment reduces complement activation during cardiopulmonary bypass in the pig. *Artif Organs* **1990**, 14, (1), 46-48.

von Segesser, L. K.; Lachat, M.; Leskosek, B.; Turina, M.; Gallino, A.; von Felten, A.; Pei, P., Cardiopulmonary bypass with low systemic heparinization: an experimental study. *Perfusion* **1990**, 5, (4), 267-276.

von Segesser, L. K.; Weiss, B. M.; Gallino, A.; Leskosek, B.; Redha, F.; von Felten, A.; Turina, M., Superior hemodynamics in left heart bypass without systemic heparinization. *Eur J Cardiothorac Surg* **1990**, 4, (7), 384-8; discussion 389.

von Segesser, L. K.; Lachat, M.; Gallino, A.; Weiss, B. M.; Leskosek, B.; Garcia, E.; Hanseler, E.; von Felten, A.; Turina, M., Performance characteristics of centrifugal pumps with heparin surface coating. *Thorac Cardiovasc Surg* **1990**, 38, (4), 224-228.

Thelin, S.; Bagge, L.; Hultman, J.; Borowiec, J.; Nilsson, L.; Thorelius, J., Heparin-coated cardiopulmonary bypass circuits reduce blood cell trauma. Experiments in the pig. *Eur J Cardiothorac Surg* **1991**, 5, (9), 486-491.

Campanella, C.; Cameron, E.; Sinclair, C.; Feilberg, V. L.; Hider, C.; Prasad, S.; Boulton, F.; Lamb, D., Preliminary results of left heart bypass in pigs using a heparin-coated centrifugal pump. *Ann Thorac Surg* **1991**, 52, (2), 245-249.

von Segesser, L. K.; Weiss, B. M.; Pasic, M.; Leskosek, B.; von Felten, A.; Pei, P.; Turina, M., Experimental evaluation of heparin-coated cardiopulmonary bypass equipment with low systemic heparinization and high-dose aprotinin. *Thorac Cardiovasc Surg* **1991**, 39, (5), 251-256.

Plotz, F. B.; van Oeveren, W.; Hultquist, K. A.; Miller, C.; Bartlett, R. H.; Wildevuur, C. R., A heparin-coated circuit reduces complement activation and the release of leukocyte inflammatory mediators during extracorporeal circulation in a rabbit. *Artif Organs* **1992**, 16, (4), 366-370.

Redmond, J. M.; Gillinov, A. M.; Stuart, R. S.; Zehr, K. J.; Winkelstein, J. A.; Herskowitz, A.; Cameron, D. E.; Baumgartner, W. A., Heparin-coated bypass circuits reduce pulmonary injury. *Ann Thorac Surg* **1993**, 56, (3), 474-8; discussion 479.

Bhujle, R.; Li, J.; Shastri, P.; Gaffke, J. N.; Clift, J. E.; Ye, Y. W.; Dollar, M. L.; Ching, P.; Chao, R.; Constantinescu, A.; Kulkarni, P. V.; Cheng, Q. C.; Wians, F.; Jessen, M. E.; Eberhart, R. C., Influence of cardiopulmonary bypass on platelet and neutrophil accumulations in internal organs. *ASAIO J* **1997**, 43, (5), M739-44.

Bagge, L.; Borowiec, J. W.; Thelin, S.; Hultman, J., Haemostasis at low heparin dosage during cardiopulmonary bypass with heparin-coated circuits in pigs. *Scand Cardiovasc J* **1997**, 31, (5), 275-281.

Weerwind, P. W.; van der, V. e. F.; Lindhout, T.; de Jong, D. S.; Cahalan, P. T., Ex vivo testing of heparin-coated extracorporeal circuits: bovine experiments. *Int J Artif Organs* **1998**, 21, (5), 291-298.

Hussaini, B. E.; Treanor, P. R.; Healey, N. A.; Tilahun, D.; Srey, R.; Lu, X. G.; Khuri, S. F.; Thatte, H. S., Evaluation of blood components exposed to coated arterial filters in extracorporeal circuits. *Perfusion* **2009**, 24, (5), 317-323.

Hussaini, B. E.; Treanor, P. R.; Healey, N. A., Multifactorial Comparison of Modified and Conventional Perfusion Strategies in A Porcine Model of Cardiopulmonary Bypass. *J Surg Res* **2010**, .

Teligui, L.; Dalmayrac, E.; Mabillean, G.; Macchi, L.; An ex vivo evaluation of blood coagulation and thromboresistance of two extracorporeal circuit coatings with reduced and full heparin dose. *Interact Cardiovasc Thorac Surg* **2014**, 18, (6).

Experimental in vivo – Extracorporeal circulation; Long term assist

Bindsvlev, L.; Gouda, I.; Inacio, J.; Kodama, K.; Lagergren, H.; Larm, O.; Nilsson, E.; Olsson, P., Extracorporeal elimination of carbon dioxide using a surface-heparinized veno-venous bypass system. *ASAIO Trans* **1986**, 32, (1), 530-533.

Klein, M. D.; Arensman, R. M.; Weber, T. R.; Mottaghy, K.; Langer, R.; Nolte, S. H., Pediatric ECMO. Directions for new developments. *ASAIO Trans* **1988**, 34, (4), 978-985.

Durham, S. J.; Borovetz, H. S.; Leonard, R.; Griffith, B. P., Right ventricular perfusion and heparin bonding of a cross-flow membrane oxygenator. *ASAIO Trans* **1988**, 34, (3), 817-819.

Mottaghy, K.; Oedekoven, B.; Schaich-Lester, D.; Poppel, K.; Kupper, W., Application of surfaces with end point attached heparin to extracorporeal circulation with membrane lungs. *ASAIO Trans* **1989**, 35, (2), 146-152.

Mottaghy, K.; Oedekoven, B.; Poppel, K.; Bruchmuller, K.; Kovacs, B.; Spahn, A.; Geisen, C., Heparin free long-term extracorporeal circulation using bioactive surfaces. *ASAIO Trans* **1989**, 35, (3), 635-637.

Marcolin, R.; Cugno, M.; Pesenti, A.; Uziel, L.; Giuffrida, A.; Vitale, G.; Keim, R.; Meda, F.; Fabrizi, I.; Gattinoni, L., Extracorporeal circulation in sheep with normal bleeding time using a surface heparinized circuit. *ASAIO Trans* **1991**, 37, (4), 584-587.

Koul, B.; Willen, H.; Sjoberg, T.; Wetterberg, T.; Kugelberg, J.; Steen, S., Pulmonary sequelae of prolonged total venoarterial bypass: evaluation with a new experimental model. *Ann Thorac Surg* **1991**, 51, (5), 794-799.

Koul, B.; Wetterberg, T.; Sjoberg, T.; Kimblad, P. O.; Kugelberg, J.; Steen, S., Veno-right ventricular bypass as total extracorporeal lung assistance. An experimental study. *J Thorac Cardiovasc Surg* **1991**, 101, (4), 719-723.

Plotz, F. B.; van Oeveren, W.; Aloe, L. S.; Riley, M. K.; Hultquist, K. A.; Bartlett, R. H.; Wildevuur, C. R., Prophylactic administration of tranexamic acid preserves platelet numbers during extracorporeal circulation in rabbits. *ASAIO Trans* **1991**, 37, (3), M416-7.

Mottaghy, K.; Oedekoven, B.; Poppel, K.; Kovacs, B.; Kirschfink, M.; Bruchmuller, K.; Kashesfi, A.; Geisen, C., Heparin-coated versus non-coated surfaces for extracorporeal circulation. *Int J Artif Organs* **1991**, 14, (11), 721-728.

Frenckner, B.; Ehren, H.; Palmer, K.; Gouda, I.; Larm, O.; Olsson, P., Surface-heparinized neonatal ECMO circuit--an experimental animal study. *Perfusion* **1992**, 7, (1), 47-51.

Shanley, C. J.; Hultquist, K. A.; Rosenberg, D. M.; McKenzie, J. M.; Shah, N. L.; Bartlett, R. H., Prolonged extracorporeal circulation without heparin. Evaluation of the Medtronic Minimax oxygenator. *ASAIO J* **1992**, 38, (3), M311-6.

Koul, B.; Vesterqvist, O.; Egberg, N.; Steen, S., Twenty-four-hour heparin-free veno-right ventricular ECMO: an experimental study. *Ann Thorac Surg* **1992**, 53, (6), 1046-1051.

Kirschfink, M.; Kovacs, B.; Mottaghy, K., Extracorporeal circulation: in vivo and in vitro analysis of complement activation by heparin-bonded surfaces. *Circ Shock* **1993**, 40, (3), 221-226.

Palmer, K.; Ehren, H.; Benz, R.; Frenckner, B., Carmeda surface heparinization in neonatal ECMO systems: long-term experiments in a sheep model. *Perfusion* **1995**, 10, (5), 307-313.

Crotti, S.; Tubiolo, D.; Pelosi, P.; Chiumello, D.; Mascheroni, D.; Gattinoni, L., Long-term evaluation of gas exchange and hydrodynamic performance of a heparinized artificial lung: comparison of two different hollow fiber pore sizes. *Int J Artif Organs* **1997**, 20, (1), 22-28.

Urlesberger, B.; Zobel, G.; Rodl, S.; Dacar, D.; Friehs, I.; Leschnik, B.; Muntean, W., Activation of the clotting system: heparin-coated versus non coated systems for extracorporeal circulation. *Int J Artif Organs* **1997**, 20, (12), 708-712.

Ao, H.; Tajiri, A.; Yanagi, F.; Okamoto, T.; Tashiro, M.; Sakanashi, Y.; Tanimoto, H.; Moon, J. K.; Terasaki, H., Heparin bonding of the extracorporeal circuit reduces thrombosis during prolonged lung assist in goats. *ASAIO J* **2000**, 46, (6), 723-729.

Kopp, R.; Bensberg, R.; Henzler, D.; Niewels, A.; Randerath, S.; Rossaint, R.; Kuhlen, R., Hemocompatibility of a miniaturized extracorporeal membrane oxygenation and a pumpless interventional lung assist in experimental lung injury. *Artif Organs* **2010**, 34, (1), 13-

Experimental in vivo – Extracorporeal circulation; Other

Lins, L. E.; Olsson, P.; Hjelte, M. B.; Larsson, R.; Larm, O., Haemodialysis in dogs with a heparin coated hollow fibre dialyser. *Proc Eur Dial Transplant Assoc Eur Ren Assoc* **1985**, 21, 270-275.

Sistino, J. J.; Michler, R. E.; Mongero, L. B.; Schwartz, A.; Marboe, C.; Geiman, R.; Kwiatkowski, P., Safety of heparin-coated circuits in primates during deep hypothermic cardiopulmonary bypass. *J Extra Corpor Technol* **1993**, 25, (1), 15-21.

Experimental in vivo – Ventricular assist

von Segesser, L. K.; Weiss, B. M.; Bisang, B.; Leskosek, B.; Turina, M. I., Ventricular assist with heparin surface coated devices. *ASAIO Trans* **1991**, 37, (3), M278-9.

von Segesser, L. K.; Weiss, B. M.; Hanseler, E.; Bisang, B.; Leskosek, B.; von Felten, A.; Turina, M., Improved biocompatibility of heparin surface-coated ventricular assist devices. *Int J Artif Organs* **1992**, 15, (5), 301-306.

Wagner-Mann, C.; Curtis, J.; Mann, F. A.; Turk, J.; Demmy, T.; Turpin, T., Subchronic centrifugal mechanical assist in an unheparinized calf model. *Artif Organs* **1996**, 20, (6), 666-669.

Experimental in vivo – Peripheral vascular surgery

Begovac, P. C.; Thomson, R. C.; Fisher, J. L.; Hughson, A.; Gallhagen, A., Improvements in GORE-TEX(R) Vascular Graft Performance by Carmeda(R) BioActive Surface Heparin Immobilization. *Eur J Vasc Endovasc Surg* **2003**, 25, (5), 432-437.

Lin, P. H.; Bush, R. L.; Yao, Q.; Lumsden, A. B.; Chen, C., Evaluation of platelet deposition and neointimal hyperplasia of heparin-coated small-caliber ePTFE grafts in a canine femoral artery bypass model(1). *J Surg Res* **2004**, 118, (1), 45-52.

Lin, P. H.; Chen, C.; Bush, R. L.; Yao, Q.; Lumsden, A. B.; Hanson, S. R., Small-caliber heparin-coated ePTFE grafts reduce platelet deposition and neointimal hyperplasia in a baboon model. *J Vasc Surg* **2004**, 39, (6), 1322-8.

Pedersen, G.; Laxdal, E.; Ellensen, V.; Jonung, T.; Mattsson, E., Improved patency and reduced intimal hyperplasia in PTFE grafts with luminal immobilized heparin compared with standard PTFE grafts at six months in a sheep model. *J Cardiovasc Surg (Torino)* **2010**, 51, (3), 443-448.

Experimental in vivo – Coronary stenting

Hardhammar, P.; Albertsson, P.; Emanuelsson, H., [May heparinization of stents eliminate the risk of thrombosis? Development of coronary angioplasty may be changed]. *Lakartidningen JT - Lakartidningen* **1995**, 92, (14), 1477-1478.

Hardhammar, P. A.; van Beusekom, H. M.; Emanuelsson, H. U.; Hofma, S. H.; Albertsson, P. A.; Verdouw, P. D.; Boersma, E.; Serruys, P. W.; van der Giessen, W. J., Reduction in thrombotic events with heparin-coated Palmaz-Schatz stents in normal porcine coronary arteries. *Circulation* **1996**, 93, (3), 423-430.

Lin, P. H.; Chronos, N. A.; Marijianowski, M. M.; Chen, C.; Conklin, B.; Bush, R. L.; Lumsden, A. B.; Hanson, S. R., Carotid stenting using heparin-coated balloon-expandable stent reduces intimal hyperplasia in a baboon model. *J Surg Res* **2003**, 112, (1), 84-90.

Lin, P. H.; Chronos, N. A.; Marijianowski, M. M.; Chen, C.; Bush, R. L.; Conklin, B.; Lumsden, A. B.; Hanson, S. R., Heparin-coated balloon-expandable stent reduces intimal hyperplasia in the iliac artery in baboons. *J Vasc Interv Radiol* **2003**, 14, (5), 603-611

Zhao J, Falotico R, Nguyen T, Cheng Y, Parker T, Dave V, Rogers C, Riesenfeld J. A non-elutable low-molecular weight heparin stent coating for improved thromboresistance. *J Biomed Mater Res B Appl Biomater* **2012**; 100:1274-82.

Experimental in vivo – Peripheral stenting

Levy, E. I.; Boulos, A. S.; Hanel, R. A.; Tio, F. O.; Alberico, R. A.; Fronckowiak, M. D.; Nemes, B.; Paciorek, A. M.; Guterman, L. R.; Hopkins, L. N., In vivo model of intracranial stent implantation: a pilot study to examine the histological response of cerebral vessels after randomized implantation of heparin-coated and uncoated endoluminal stents in a blinded fashion. *J Neurosurg* **2003**, 98, (3), 544-553.

Experimental in vivo – Other

Arnander, C., Hjelte, M-B., Lins, L-e., Larm, O., Larsson, R., Olsson, P., Blood compatibility of a hollow-fiber dialyzer with a new coating of covalently bound heparin. *Proceedings / European Society for Artificial Organs, ESAO* **1982**, 9, 312-315.

Arnander, C.; Bagger-Sjoberg, D.; Frebelius, S.; Larsson, R.; Swedenborg, J., Long-term stability in vivo of a thromboresistant heparinized surface. *Biomaterials* **1987**, 8, (6), 496-499.

Arnander, C.; Olsson, P.; Larm, O., Influence of blood flow and the effect of protamine on the thromboresistant properties of a covalently bonded heparin surface. *J Biomed Mater Res* **1988**, 22, (10), 859-868.

Arnander, C., Enhanced patency of small-diameter tubings after surface immobilization of heparin fragments. A study in the dog. *J Biomed Mater Res* **1989**, 23, (3), 285-294.

Steen, S.; Sjöberg, T.; Massa, G.; Ericsson, L.; Lindberg, L., Safe pulmonary preservation for 12 hours with low-potassium-dextran solution. *Ann Thorac Surg* **1993**, 55, (2), 434-440.

- Clutton-Brock, T. H.; Fink, S.; Markle, D.; Luthra, A. J.; Hendry, S. P., The evaluation of a new intravascular blood gas monitoring system in the pig. *J Clin Monit* **1994**, 10, (6), 387-391.
- Christiansson, L.; Hellberg, A.; Koga, I.; Thelin, S.; Bergqvist, D.; Wiklund, L.; Karacagil, S., A new method of intrathecal PO₂, PCO₂, and pH measurements for continuous monitoring of spinal cord ischemia during thoracic aortic clamping in pigs. *Surgery* **2000**, 127, (5), 571-576
- Foley, P. L.; Barthel, C. H.; Brausa, H. R., Effect of covalently bound heparin coating on patency and biocompatibility of long-term indwelling catheters in the rat jugular vein. *Comp Med* **2002**, 52, (3), 243-248.
- Levine, A.; Kenet, G.; Bruck, R.; Avni, Y.; Avinoach, I.; Aeed, H.; Matas, Z.; David, M.; Yaron, A., Effect of heparin on tissue binding activity of fibroblast growth factor and heparin-binding epidermal growth factor in experimental colitis in rats. *Pediatr Res JT - Pediatric research* **2002**, 51, (5), 635-40.
- Piacentini, M. F.; Clinckers, R.; Meeusen, R.; Sarre, S.; Ebinger, G.; Michotte, Y., Effect of bupropion on hippocampal neurotransmitters and on peripheral hormonal concentrations in the rat. *J Appl Physiol* **2003**, 95, (2), 652-656.
- Buckwalter, J. B.; Curtis, V. C.; Valic, Z.; Ruble, S. B.; Clifford, P. S., Endogenous vascular remodeling in ischemic skeletal muscle: a role for nitric oxide. *J Appl Physiol* **2003**, 94, (3), 935-940.
- Zareie, M.; Keuning, E. D.; ter Wee, P. M.; Beelen, R. H.; van den, B. o. J., Improvement of a chronic rat model for peritoneal dialysis by using heparin-coated catheters. *Adv Perit Dial JT - Advances in peritoneal dialysis. Conference on Peritoneal Dialysis*. **2004**, 20, 150-154.
- Wachtman, L. M.; Browning, M. D.; Bedja, D.; Pin, S.; Gabrielson, K. L., Validation of the use of long-term indwelling jugular catheters in a rat model of cardiotoxicity. *J Am Assoc Lab Anim Sci JT - Journal of the American Association for Laboratory Animal Science : JAALAS*. **2006**, 45, (5), 55-64.
- Bridges, C., New heparin coating reduces thrombosis and fibrin sheath formation in HD catheters. *Nephrol News Issues JT - Nephrology news & issues* **2007**, 21, (3), 32.
- Vesely, T., Reviewing the benefits of a new heparin-coated hemodialysis catheter. *Renal Business Today* **2007**, 2, (3).
- Fonseca, U. N.; Nielsen, S. G.; Hau, J.; Hansen, A. K., Permanent catheterization of the carotid artery induces kidney infection and inflammation in the rat. *Lab Anim* **2009**, Oct 26, 1-8.

Clinical – Extracorporeal circulation; Cardiovascular surgery

- Mollnes, T. E.; Videm, V.; Gotze, O.; Harboe, M.; Oppermann, M., Formation of C5a during cardiopulmonary bypass: inhibition by precoating with heparin. *Ann Thorac Surg* **1991**, 52, (1), 92-97.
- Borowiec, J.; Thelin, S.; Bagge, L.; van der Linden, J.; Thorno, E.; Hansson, H. E., Heparin-coated cardiopulmonary bypass circuits and 25% reduction of heparin dose in coronary artery surgery--a clinical study. *Ups J Med Sci* **1992**, 97, (1), 55-66.
- Videm, V.; Svennevig, J. L.; Fosse, E.; Semb, G.; Osterud, A.; Mollnes, T. E., Reduced complement activation with heparin-coated oxygenator and tubings in coronary bypass operations. *J Thorac Cardiovasc Surg* **1992**, 103, (4), 806-813.

von Segesser, L. K.; Weiss, B. M.; Garcia, E.; von Felten, A.; Turina, M. I., Reduction and elimination of systemic heparinization during cardiopulmonary bypass. *J Thorac Cardiovasc Surg* **1992**, 103, (4), 790-8; discussion 798-9.

Borowiec, J.; Thelin, S.; Bagge, L.; Nilsson, L.; Venge, P.; Hansson, H. E., Heparin-coated circuits reduce activation of granulocytes during cardiopulmonary bypass. A clinical study. *J Thorac Cardiovasc Surg* **1992**, 104, (3), 642-7.

Borowiec, J.; Thelin, S.; Bagge, L.; Hultman, J.; Hansson, H. E., Decreased blood loss following cardiopulmonary bypass using heparin-coated circuits and 50% reduction of heparin dose. *Scand J Thorac Cardiovasc Surg* **1992**, 26, (3), 177-85.

Hollingsed, M. J.; Hill, R.; Wittig, R.; Murray, G., Heparin-coated cardiopulmonary bypass: a clinical case incorporating a standard cardiectomy. *Perfusion* **1992**, 7, 305-314

Couyant, M. A.; Beemer, G. H., A proposed protocol for the management of cardiopulmonary bypass for patients with heparin-induced thrombosis thrombocytopenia syndrome. *Journal of australasian perfusion society* **1992**

Borowiec, J. W.; Bylock, A.; van der Linden, J.; Thelin, S., Heparin coating reduces blood cell adhesion to arterial filters during coronary bypass: a clinical study. *Ann Thorac Surg* **1993**, 55, (6), 1540-1545.

von Segesser, L. K.; Garcia, E.; Turina, M. I., Low-dose heparin versus full-dose heparin with high-dose aprotinin during cardiopulmonary bypass. A preliminary report. *Tex Heart Inst J* **1993**, 20, (1), 28-32.

Chaiyaroj, S.; Couyant, M.; Angelopoulos, P.; Tatoulis, J., Cardiac surgery with low systemic heparinisation using a heparin bonded tubing circuit. *AustralAs. J. Cardiac Thorac. Surg.* **1993**, 2, (1), 30-31.

Belboul, A.; Al-Khaja, N.; Gudmundsson, M.; Karlsson, H.; Uchino, T.; Liu, B.; El-Gatit, A.; Bjell, A.; Roberts, D.; William-Olsson, G., The influence of heparin-coated and uncoated extracorporeal circuits on blood rheology during cardiac surgery. *J Extra Corpor Technol* **1993**, 25, (2), 40-46.

von Segesser, L. K., Use of heparin-bonded surfaces in cardiopulmonary bypass. *Perfusion* **1993**, 8 (suppl), 21-27.

Jones, D. R.; Hill, R. C.; Hollingsed, M. J.; Stullken, E.; Graeber, G. M.; Gustafson, R. A.; Murray, G. F., Use of heparin-coated cardiopulmonary bypass. *Ann Thorac Surg* **1993**, 56, (3), 566-568.

Dowling, R. D.; Brown, M. E.; Whittington RO, J. r.; Quinlan, J. J.; Armitage, J. M., Clinical cardiopulmonary bypass without systemic anticoagulation. *Ann Thorac Surg* **1993**, 56, (5), 1176-7; discussion 1177-8.

Shigemitsu, O.; Hadama, T.; Takasaki, H.; Mori, Y.; Kimura, T.; Miyamoto, S.; Sako, H.; Soeda, T.; Kawawaki, Y.; Uchida, Y., Biocompatibility of a heparin-bonded membrane oxygenator (Carmeda MAXIMA) during the first 90 minutes of cardiopulmonary bypass: clinical comparison with the conventional system. *Artif Organs* **1994**, 18, (12), 936-941.

Fosse, E.; Moen, O.; Johnson, E.; Semb, G.; Brockmeier, V.; Mollnes, T. E.; Fagerhol, M. K.; Venge, P., Reduced complement and granulocyte activation with heparin-coated cardiopulmonary bypass. *Ann Thorac Surg* **1994**, 58, (2), 472-477.

Kuki, S.; Yoshida, K.; Suzuki, K.; Matsumura, R.; Okuda, A., A successful case of left heart bypass with biocompatible bypass circuit and minimal heparin for severe heart failure after open mitral commissurotomy]. *Nippon Kyobu Geka Gakkai Zasshi* **1994**, 42, (7), 1108-1112.

Sellebold, O. F.; Berg, T. M.; Rein, K. A.; Levang, O. W.; Iversen, O. J.; Bergh, K., Heparin-coated circuit during cardiopulmonary bypass. A clinical study using closed circuit, centrifugal pump and reduced heparinization. *Acta Anaesthesiol Scand* **1994**, 38, (4), 372-9.

Wagner, W. R.; Johnson, P. C.; Thompson, K. A.; Marrone, G. C., Heparin-coated cardiopulmonary bypass circuits: hemostatic alterations and postoperative blood loss. *Ann Thorac Surg* **1994**, 58, (3), 734-40; discussion 741.

Pekna, M.; Borowiec, J.; Fagerhol, M. K.; Venge, P.; Thelin, S., Biocompatibility of heparin-coated circuits used in cardiopulmonary bypass. *Scand J Thorac Cardiovasc Surg* **1994**, 28, (1), 5-11.

Cheung, A. T.; Levin, S. K.; Weiss, S. J.; Acker, M. A.; Stenach, N., Intracardiac thrombus: a risk of incomplete anticoagulation for cardiac operations. *Ann Thorac Surg* **1994**, 58, (2), 541-542.

Hatori, N.; Yoshizu, H.; Haga, Y.; Kusama, Y.; Takeshima, S.; Segawa, D.; Tanaka, S., Bio-compatibility of heparin-coated membrane oxygenator during cardiopulmonary bypass. *Artif Organs* **1994**, 18, (12), 904-910.

Jones, D. R.; Hill, R. C.; Vasilakis, A.; Hollingsed, M. J.; Graeber, G. M.; Gustafson, R. A.; Cruzzavala, J. L.; Murray, G. F., Safe use of heparin-coated bypass circuits incorporating a pump-oxygenator. *Ann Thorac Surg* **1994**, 57, (4), 815-8; discussion 818-9.

Ovrum, E.; Mollnes, T. E.; Fosse, E.; Holen, E. A.; Tangen, G.; Abdelnoor, M.; Ringdal, M. A.; Oystese, R.; Venge, P., Complement and granulocyte activation in two different types of heparinized extracorporeal circuits. *J Thorac Cardiovasc Surg* **1995**, 110, (6), 1623-32.

Moen, O.; Fosse, E.; Brockmeier, V.; Andersson, C.; Mollnes, T. E.; Hogasen, K.; Venge, P., Disparity in blood activation by two different heparin-coated cardiopulmonary bypass systems. *Ann Thorac Surg* **1995**, 60, (5), 1317-23.

Nilsson, L.; Peterson, C.; Venge, P.; Borowiec, J. W.; Thelin, S., Eosinophil granule proteins in cardiopulmonary bypass with and without heparin coating. *Ann Thorac Surg* **1995**, 59, (3), 713-6.

Borowiec, J. W.; Hagman, L.; Totterman, T. H.; Pekna, M.; Venge, P.; Thelin, S., Circulating cytokines and granulocyte-derived enzymes during complex heart surgery. A clinical study with special reference to heparin-coating of cardiopulmonary bypass circuits. *Scand J Thorac Cardiovasc Surg* **1995**, 29, (4), 167-74.

Ernofsson, M.; Thelin, S.; Siegbahn, A., Thrombin generation during cardiopulmonary bypass using heparin-coated or standard circuits. *Scand J Thorac Cardiovasc Surg* **1995**, 29, (4), 157-65.

Steinberg, B. M.; Grossi, E. A.; Schwartz, D. S.; McLoughlin, D. E.; Aguinaga, M.; Bizekis, C.; Greenwald, J.; Flisser, A.; Spencer, F. C.; Galloway, A. C.; et, a. I., Heparin bonding of bypass circuits reduces cytokine release during cardiopulmonary bypass. *Ann Thorac Surg* **1995**, 60, (3), 525-529.

Moen, O.; Fosse, E.; Dregelid, E.; Brockmeier, V.; Andersson, C.; Hogasen, K.; Venge, P.; Mollnes, T. E.; Kierulf, P., Centrifugal pump and heparin coating improves cardiopulmonary bypass biocompatibility. *Ann Thorac Surg* **1996**, 62, (4), 1134-1140.

von Segesser, L. K., Surface coating of cardiopulmonary bypass circuits. *Perfusion* **1996**, 11, (3), 241-245

Rao, P. S.; Palazzo, R. S.; Harlow, G. L.; Bocchieri, K. A.; Metz, H. N.; Wilson, D. W.; Rao, S. K.; Graver, L. M., Myocardial preservation, redox potential maintenance and oxidant injury by heparin-coated Carmeda circuit. *Ann N Y Acad Sci* **1996**, 793, 511-513.

Fukutomi, M.; Kobayashi, S.; Niwaya, K.; Hamada, Y.; Kitamura, S., Changes in platelet, granulocyte, and complement activation during cardiopulmonary bypass using heparin-coated equipment. *Artif Organs* **1996**, 20, (7), 767-76.

Toda, R.; Saigenji, H.; Nishida, T.; Moriyama, Y.; Masuda, H.; Taira, A., A case of ASD with SLE treated with Carmeda BioActive surface circuit in cardiopulmonary bypass system. *Kyobu Geka* **1996**, 49, (5), 389-391.

Saenz, A.; Larranaga, G.; Alvarez, L.; Greco, E.; Marrero, A.; Lunar, M.; Elosegui, C.; Ubago, J. L.; Gallo, I., Heparin-coated circuit in coronary surgery. A clinical study. *Eur J Cardiothorac Surg* **1996**, 10, (1), 48-53.

Gorman, R. C.; Ziats, N.; Rao, A. K.; Gikakis, N.; Sun, L.; Khan, M. M.; Stenach, N.; Sapatnekar, S.; Chouhan, V.; Gorman JH, 3. r.; Niewiarowski, S.; Colman, R. W.; Anderson, J. M.; Edmunds LH, J. r., Surface-bound heparin fails to reduce thrombin formation during clinical cardiopulmonary bypass. *J Thorac Cardiovasc Surg* **1996**, 111, (1), 1-11; discussion 11-2.

Watanabe, H.; Miyamura, H.; Hayashi, J.; Ohzeki, H.; Sugawara, M.; Takahashi, Y.; Eguchi, S., The influence of a heparin-coated oxygenator during cardiopulmonary bypass on postoperative lung oxygenation capacity in pediatric patients with congenital heart anomalies. *J Card Surg* **1996**, 11, (6), 396-401.

Bozdayi, M.; Borowiec, J.; Nilsson, L.; Venge, P.; Thelin, S.; Hansson, H. E., Effects of heparin coating of cardiopulmonary bypass circuits on in vitro oxygen free radical production during coronary bypass surgery. *Artif Organs* **1996**, 20, (9), 1008-16.

Ovrum, E.; Brosstad, F.; Am Holen, E.; Tangen, G.; Abdelnoor, M.; Oystese, R., Complete heparin-coated (CBAS) cardiopulmonary bypass and reduced systemic heparin dose; effects on coagulation and fibrinolysis. *Eur J Cardiothorac Surg* **1996**, 10, (6), 449-55.

Matheve, C., Clinical evidence of improved biocompatibility using heparin-coated surfaces. *Perfusion* **1996**, 11, (3), 264-269.

Shapira, O. M.; Aldea, G. S.; Zelingher, J.; Volpe, C.; Fitzgerald, C.; DeAndrade, K.; Lazar, H. L.; Shemin, R. J., Enhanced blood conservation and improved clinical outcome after valve surgery using heparin-bonded cardiopulmonary bypass circuits. *J Card Surg* **1996**, 11, (5), 307-317.

Aldea, G. S.; Doursounian, M.; O'Gara, P.; Treanor, P.; Shapira, O. M.; Lazar, H. L.; Shemin, R. J., Heparin-bonded circuits with a reduced anticoagulation protocol in primary CABG: a prospective, randomized study. *Ann Thorac Surg* **1996**, 62, (2), 410-7; discussion 417-8.

Aldea, G. S.; Shapira, O. M.; Treanor, P. R.; Lazar, H. L.; Shemin, R. J., Effective use of heparin-bonded circuits and lower anticoagulation for coronary artery bypass grafting in Jehovah's Witnesses. *J Card Surg* **1996**, 11, (1), 12-17.

Aldea, G. S.; Zhang, X.; Memmolo, C. A.; Shapira, O. M.; Treanor, P. R.; Kupferschmid, J. P.; Lazar, H. L.; Shemin, R. J., Enhanced blood conservation in primary coronary artery bypass surgery using heparin-bonded circuits with lower anticoagulation. *J Card Surg* **1996**, 11, (2), 85-95.

Ovrum, E.; Fosse, E.; Mollnes, T. E.; Am Holen, E.; Tangen, G.; Abdelnoor, M.; Ringdal, M. A.; Oystese, R.; Venge, P., Complete heparin-coated cardiopulmonary bypass and low heparin dose reduce complement and granulocyte activation. *Eur J Cardiothorac Surg* **1996**, 10, (1), 54-60.

Ganjoo, A. K.; Harloff, M. G.; Johnson, W. D., Cardiopulmonary bypass for heparin-induced thrombocytopenia: management with a heparin-bonded circuit and enoxaparin. *J Thorac Cardiovasc Surg* **1996**, 112, (5), 1390-1392

Gorman, R. C.; Ziats, N.; Rao, A. K.; Gikakis, N.; Sun, L.; Khan, M. M.; Stenach, N.; Sapatnekar, S.; Chouhan, V.; Gorman JH, 3. r.; Niewiarowski, S.; Colman, R. W.; Anderson, J. M.; Edmunds LH, J. r., Surface-bound heparin fails to reduce thrombin formation during clinical cardiopulmonary bypass. *J Thorac Cardiovasc Surg* **1996**, 111, (1), 1-11; discussion 11-2.

- Peters, F. P., Treatment of heparin-induced thrombocytopenia. *J Thorac Cardiovasc Surg* **1997**, 114, (3), 517-518.
- Aldea, G. S.; Lilly, K.; Gaudiani, J. M.; O'Gara, P.; Stein, D.; Bao, Y.; Treanor, P.; Osman, A.; Shapira, O. M.; Lazar, H. L.; Shemin, R. J., Heparin-bonded circuits improve clinical outcomes in emergency coronary artery bypass grafting. *J Card Surg* **1997**, 12, (6), 389-397.
- Rao, S. K.; Palazzo, R. S.; Metz, H. N.; Wilson, D. W.; Nikolic, S. D.; Graver, M.; Rao, P. S., Redox potential measurements of plasma in patients undergoing coronary artery bypass graft and its clinical significance. *J Pharmacol Toxicol Methods* **1997**, 38, (3), 151-156.
- Misoph, M.; Babin-Ebell, J.; Schwender, S., A comparative evaluation of the effect of pump type and heparin-coated surfaces on platelets during cardiopulmonary bypass. *Thorac Cardiovasc Surg* **1997**, 45, (6), 302-6.
- Lundblad, R.; Moen, O.; Fosse, E., Endothelin-1 and neutrophil activation during heparin-coated cardiopulmonary bypass. *Ann Thorac Surg* **1997**, 63, (5), 1361-7.
- Borowiec, J.; Bagge, L.; Saldeen, T.; Thelin, S., Biocompatibility reflected by haemostasis variables during cardiopulmonary bypass using heparin-coated circuits. *Thorac Cardiovasc Surg* **1997**, 45, (4), 163-7.
- Svenmarker, S.; Haggmark, S.; Jansson, E.; Lindholm, R.; Appelblad, M.; Aberg, T., The relative safety of an oxygenator. *Perfusion* **1997**, 12, (5), 289-292.
- Kagisaki, K.; Masai, T.; Kadoba, K.; Sawa, Y.; Nomura, F.; Fukushima, N.; Ichikawa, H.; Ohata, T.; Suzuki, K.; Taketani, S.; Matsuda, H., Biocompatibility of heparin-coated circuits in pediatric cardiopulmonary bypass. *Artif Organs* **1997**, 21, (7), 836-40.
- Ljunghusen, O.; Cederholm, I.; Lundahl, J.; Nilsson, B.; Olin, C.; Sjogren, F.; Stendahl, O., Phenotypic alterations in circulating monocytes induced by open heart surgery using heparinized and nonheparinized cardiopulmonary bypass systems. *Artif Organs* **1997**, 21, (10), 1091-7.
- Ashraf, S.; Tian, Y.; Cowan, D.; Entress, A.; Martin, P. G.; Watterson, K. G., Release of pro-inflammatory cytokines during pediatric cardiopulmonary bypass: heparin-bonded versus nonbonded oxygenators. *Ann Thorac Surg* **1997**, 64, (6), 1790-4.
- Belboul, A.; al-Khaja, N., Does heparin coating improve biocompatibility? A study on complement, blood cells and postoperative morbidity during cardiac surgery. *Perfusion* **1997**, 12, (6), 385-391.
- Bannan, S.; Danby, A.; Cowan, D.; Ashraf, S.; Martin, P. G., Low heparinization with heparin-bonded bypass circuits: is it a safe strategy? *Ann Thorac Surg* **1997**, 63, (3), 663-668.
- Svenmarker, S.; Sandstrom, E.; Karlsson, T.; Jansson, E.; Haggmark, S.; Lindholm, R.; Appelblad, M.; Aberg, T., Clinical effects of the heparin coated surface in cardiopulmonary bypass. *Eur J Cardiothorac Surg JT - European journal of cardio-thoracic surgery : official journal of the European Association for Cardio-thoracic Surgery* **1997**, 11, (5), 957-64.
- Schreurs, H. H.; Wijers, M. J.; Gu, Y. J.; van Oeveren, W.; van Domburg, R. T.; de Boer, J. H.; Bogers, A. J., Heparin-coated bypass circuits: effects on inflammatory response in pediatric cardiac operations. *Ann Thorac Surg* **1998**, 66, (1), 166-71.
- Spiess, B. D.; Vocelka, C.; Cochran, R. P.; Soltow, L.; Chandler, W. L., Heparin-coated bypass circuits (Carmeda) suppress the release of tissue plasminogen activator during normothermic coronary artery bypass graft surgery. *J Cardiothorac Vasc Anesth* **1998**, 12, (3), 299-304.
- Baufreton, C.; Moczar, M.; Intrator, L.; Jansen, P. G.; te Velthuis, H.; Le Besnerais, P.; Farcet, J. P.; Wildevuur, C. R.; Loisan, D. Y., Inflammatory response to cardiopulmonary bypass using two different types of heparin-coated extracorporeal circuits. *Perfusion* **1998**, 13, (6), 419-27.

Misoph, M.; Schwender, S.; Babin-Ebell, J., Response of the cellular immune system to cardiopulmonary bypass is independent of the applied pump type and of the use of heparin-coated surfaces. *Thorac Cardiovasc Surg* **1998**, 46, (4), 222-7.

Gott, J. P.; Cooper, W. A.; Schmidt FE, J. r.; Brown WM, 3. r.; Wright, C. E.; Merlino, J. D.; Fortenberry, J. D.; Clark, W. S.; Guyton, R. A., Modifying risk for extracorporeal circulation: trial of four antiinflammatory strategies. *Ann Thorac Surg* **1998**, 66, (3), 747-53; discussion 753-4.

Wahba, A.; Philipp, A.; Behr, R.; Birnbaum, D. E., Heparin-coated equipment reduces the risk of oxygenator failure. *Ann Thorac Surg* **1998**, 65, (5), 1310-1312.

Mahoney, C. B., Heparin-bonded circuits: clinical outcomes and costs. *Perfusion* **1998**, 13, (3), 192-204.

Stammers, A. H.; Christensen, K. A.; Lynch, J.; Zavadil, D. P.; Deptula, J. J.; Sydzyk, R. T., Quantitative evaluation of heparin-coated versus non-heparin-coated bypass circuits during cardiopulmonary bypass. *J Extra Corpor Technol* **1999**, 31, (3), 135-141.

Mahoney, C. B.; Lemole, G. M., Transfusion after coronary artery bypass surgery: the impact of heparin-bonded circuits. *Eur J Cardiothorac Surg* **1999**, 16, (2), 206-10.

Palanzo, D. A.; Zarro, D. L.; Manley, N. J.; Montesano, R. M.; Quinn, M.; Gustafson, P. A., Effect of surface coating on platelet count drop during cardiopulmonary bypass. *Perfusion* **1999**, 14, (3), 195-200.

Suehiro, S.; Shibata, T.; Sasaki, Y.; Hattori, K.; Kumano, H.; Hosono, M.; Kinoshita, H., Use of heparin-coated cardiopulmonary bypass circuit with low-dose heparin reduces postoperative bleeding. *Ann Thorac Cardiovasc Surg* **1999**, 5, (4), 225-229.

Suehiro, S.; Shibata, T.; Sasaki, Y.; Hattori, K.; Kumano, H.; Hosono, M.; Fujii, H.; Kinoshita, H., Heparin-coated circuits prevent renal dysfunction after open heart surgery. *Osaka City Med J* **1999**, 45, (2), 149-157.

Olsson, C.; Siegbahn, A.; Henze, A.; Nilsson, B.; Venge, P.; Joachimsson, P. O.; Thelin, S., Heparin-coated cardiopulmonary bypass circuits reduce circulating complement factors and interleukin-6 in paediatric heart surgery. *Scand Cardiovasc J* **2000**, 34, (1), 33-40.

Grossi, E. A.; Kallenbach, K.; Chau, S.; Derivaux, C. C.; Aguinaga, M. G.; Steinberg, B. M.; Kim, D.; Iyer, S.; Tayyarah, M.; Artman, M.; Galloway, A. C.; Colvin, S. B., Impact of heparin bonding on pediatric cardiopulmonary bypass: a prospective randomized study. *Ann Thorac Surg* **2000**, 70, (1), 191-6.

Collart, F.; Caus, T.; Pomane, C.; Pellissier, V.; Chi, Y.; Monties, J. R.; Mesana, T., Clinical evaluation of heparin-coated circuits for routine coronary artery bypass grafting surgery: a prospective randomized study. *Artif Organs* **2000**, 24, (8), 611-3.

Miyaji, K.; Hannan, R. L.; Ojito, J.; Jacobs, J. P.; White, J. A.; Burke, R. P., Heparin-coated cardiopulmonary bypass circuit: clinical effects in pediatric cardiac surgery. *J Card Surg* **2000**, 15, (3), 194-198.

Ralley, F. E.; De Varennes, B., Use of heparinase I in a patient with protamine allergy undergoing redo myocardial revascularization. *J Cardiothorac Vasc Anesth* **2000**, 14, (6), 710-711

Svenmarker, S.; Sandstrom, E.; Karlsson, T.; Haggmark, S.; Jansson, E.; Appelblad, M.; Lindholm, R.; Aberg, T., Neurological and general outcome in low-risk coronary artery bypass patients using heparin coated circuits. *Eur J Cardiothorac Surg* **2001**, 19, (1), 47-53.

von Segesser, L. K., Safety and efficacy of heparin-bonded surfaces in cardiopulmonary bypass. *J Thorac Cardiovasc Surg* **2001**, 121, (2), 200-201.

Palanzo, D. A.; Zarro, D. L.; Manley, N. J.; Montesano, R. M.; Quinn, M.; Elmore, B. A.; Gustafson, P. A.; Castagna, J. M., Effect of Carmeda BioActive Surface coating versus Trillium

Biopassive Surface coating of the oxygenator on circulating platelet count drop during cardiopulmonary bypass. *Perfusion* **2001**, 16, (4), 279-83.

Ovrum, E.; Tangen, G.; Oystese, R.; Ringdal, M. A.; Istad, R., Comparison of two heparin-coated extracorporeal circuits with reduced systemic anticoagulation in routine coronary artery bypass operations. *J Thorac Cardiovasc Surg* **2001**, 121, (2), 324-30.

Mongero, L. B.; Beck, J. R.; Manspeizer, H. E.; Heyer, E. J.; Lee, K.; Spanier, T. A.; Smith, C. R., Cardiac surgical patients exposed to heparin-bonded circuits develop less postoperative cerebral dysfunction than patients exposed to non-heparin-bonded circuits. *Perfusion* **2001**, 16, (2), 107-111.

Wendel, H. P.; Philipp, A.; Weber, N.; Birnbaum, D. E.; Ziemer, G., Oxygenator thrombosis: worst case after development of an abnormal pressure gradient--incidence and pathway. *Perfusion* **2001**, 16, (4), 271-278.

Svenmarker, S.; Sandstrom, E.; Karlsson, T.; Haggmark, S.; Jansson, E.; Appelblad, M.; Lindholm, R.; Aberg, T., Neurological and general outcome in low-risk coronary artery bypass patients using heparin coated circuits. *Eur J Cardiothorac Surg* **2001**, 19, (1), 47-53.
Flom-Halvorsen, H. I.; Ovrum, E.; Brosstad, F.; Tangen, G.; Ringdal, M.; Oystese, R., Effects of two differently heparin-coated extracorporeal circuits on markers for brain and myocardial dysfunction. *Perfusion* **2002**, 17, (5), 339-345.

Svenmarker, S.; Haggmark, S.; Jansson, E.; Lindholm, R.; Appelblad, M.; Sandstrom, E.; Aberg, T., Use of heparin-bonded circuits in cardiopulmonary bypass improves clinical outcome. *Scand Cardiovasc J* **2002**, 36, (4), 241-6.

Heyer, E. J.; Lee, K. S.; Manspeizer, H. E.; Mongero, L.; Spanier, T. B.; Caliste, X.; Esrig, B.; Smith, C., Heparin-bonded cardiopulmonary bypass circuits reduce cognitive dysfunction. *J Cardiothorac Vasc Anesth* **2002**, 16, (1), 37-42.

Mullen, J. C.; Bentley, M. J.; Gelfand, E. T.; Koshal, A.; Modry, D. L.; Guenther, C. R.; Etches, W. S.; Stang, L. J.; Lopushinsky, S. R., Coronary artery bypass surgery with heparin-coated perfusion circuits and low-dose heparinization. *Can J Surg* **2002**, 45, (3), 166-172.

Jensen, E.; Andreasson, S.; Bengtsson, A.; Berggren, H.; Ekroth, R.; Lindholm, L.; Ouchterlony, J., Influence of two different perfusion systems on inflammatory response in pediatric heart surgery. *Ann Thorac Surg* **2003**, 75, (3), 919-25.

Ovrum, E.; Tangen, G.; Tollofsrud, S.; Ringdal, M. A., Heparin-coated circuits and reduced systemic anticoagulation applied to 2500 consecutive first-time coronary artery bypass grafting procedures. *Ann Thorac Surg* **2003**, 76, (4), 1144-8; discussion 1148.

van den, G. o. J.; van den, B. r. A.; Nieuwland, R.; van Oeveren, W.; Rutten, P. M.; Tepaske, R.; Tijssen, J. G.; Sturk, A.; de Mol, B. A.; Eijssman, L., Generation of platelet-derived microparticles in patients undergoing cardiac surgery is not affected by complement activation. *J Thorac Cardiovasc Surg* **2003**, 126, (4), 1101-1106.

Lilly, K. J.; O'Gara, P. J.; Treanor, P. R.; Reardon, D.; Crowley, R.; Hunter, C.; Shapira, O. M.; Aldea, G. S.; Lazar, H. L.; Shemin, R. J., Cardiopulmonary bypass: it's not the size, it's how you use it! Review of a comprehensive blood-conservation strategy. *J Extra Corpor Technol* **2004**, 36, (3), 263-268.

Lindholm, L.; Westerberg, M.; Bengtsson, A.; Ekroth, R.; Jensen, E.; Jeppsson, A., A closed perfusion system with heparin coating and centrifugal pump improves cardiopulmonary bypass biocompatibility in elderly patients. *Ann Thorac Surg* **2004**, 78, (6), 2131-8; discussion 2138.

van den, G. o. J.; Nieuwland, R.; van den, B. r. A.; van Oeveren, W.; Rutten, P.; Tijssen, J.; Eijssman, L., Reduced complement activation during cardiopulmonary bypass does not affect the postoperative acute phase response. *Eur J Cardiothorac Surg* **2004**, 26, (5), 926-931.

Boning, A.; Scheewe, J.; Ivers, T.; Friedrich, C.; Stieh, J.; Freitag, S.; Cremer, J. T., Phosphorylcholine or heparin coating for pediatric extracorporeal circulation causes similar biologic effects in neonates and infants. *J Thorac Cardiovasc Surg* **2004**, 127, (5), 1458-1465.

Eisses, M. J.; Seidel, K.; Aldea, G. S.; Chandler, W. L., Reducing hemostatic activation during cardiopulmonary bypass: a combined approach. *Anesth Analg* **2004**, 98, (5), 1208-16, table of content.

Jensen, E.; Andreasson, S.; Bengtsson, A.; Berggren, H.; Ekroth, R.; Larsson, L. E.; Ouchterlony, J., Changes in hemostasis during pediatric heart surgery: impact of a biocompatible heparin-coated perfusion system. *Ann Thorac Surg* **2004**, 77, (3), 962-967.

Baufreton, C.; Allain, P.; Chevailler, A.; Etcharry-Bouyx, F.; Corbeau, J. J.; Legall, D.; de Brux, J. L., Brain injury and neuropsychological outcome after coronary artery surgery are affected by complement activation. *Ann Thorac Surg* **2005**, 79, (5), 1597-1605.

Kreisler, K. R.; Vance, R. A.; Cruzzavala, J.; Mahnken, J. D., Heparin-bonded cardiopulmonary bypass circuits reduce the rate of red blood cell transfusion during elective coronary artery bypass surgery. *J Cardiothorac Vasc Anesth* **2005**, 19, (5), 608-611.

Jessen, M. E., Pro: Heparin-coated circuits should be used for cardiopulmonary bypass. *Anesth Analg JT - Anesthesia and analgesia* **2006**, 103, (6), 1365-1372.

Taneja, R.; Cheng, D. C., Con: Heparin-bonded cardiopulmonary bypass circuits should be routine for all cardiac surgical procedures. *Anesth Analg* **2006**, 103, (6), 1370-1372.

Schneider, S.; Sakert, T.; Lucke, J.; McKeown, P.; Sharma, A., Cardiopulmonary bypass for a coronary artery bypass graft patient with heterozygous protein C deficiency and protein S deficiency. *Perfusion JT - Perfusion* **2006**, 21, (2), 117-120.

Eisses, M. J.; Velan, T.; Aldea, G. S.; Chandler, W. L., Strategies to reduce hemostatic activation during cardiopulmonary bypass. *Thromb Res* **2006**, 117, (6), 689-703.

Poynter, J. A., Thromboresistant cardiopulmonary bypass circuits: room for improvement? *J Surg Res* **2010**, 163, (2), e51-2.

Preston, T. J.; Ratliff, T. M.; Gomez, Modified surface coatings and their effect on drug adsorption within the extracorporeal life support circuit. *J Extra Corpor Technol* **2010**, 42, (3), 199-202.

Singh, A. K.; Stearns, G.; Maslow, A.; Feng, W. C.; Schwartz, C., Redo Sternotomy for Cardiac Reoperations Using Peripheral Heparin-Bonded Cardiopulmonary Bypass Circuits Without Systemic Heparinization: Technique and Results. *J Cardiothorac Vasc Anesth* **2010**

Ovrum, E.; Tangen, G.; Tollofsrud, S.; Skeie, B.; Ringdal, M. A.; Istad, R.; Oystese, R., Heparinized cardiopulmonary bypass circuits and low systemic anticoagulation: An analysis of nearly 6000 patients undergoing coronary artery bypass grafting. *J Thorac Cardiovasc Surg* **2010**.

Hussaini, B. E.; Thatte, H. S.; Rhodes, B. A.; Treanor, P. R.; Birjiniuk, V., Thromboresistant surfaces with low-dose anticoagulation alleviate clopidogrel-related complications in patients undergoing coronary artery bypass grafting. *J Thorac Cardiovasc Surg* **2011**, 141, (3), 782-788.

Yu K, Long C, Hei F, Li J, Liu J, Ji B, Gao G, Zhang H, Song Y, Wang W. Clinical evaluation of two different extracorporeal membrane oxygenation systems: a single center report. *Artif Organs* **2011**; 35:733.

Nozohoor S, Johnsson P, Scicluna S, Wallentin P, Andell E, Nilsson J. A case-controlled evaluation of the Medtronic Resting Heart System compared with conventional cardiopulmonary bypass in patients undergoing isolated coronary artery bypass surgery. *Interact Cardiovasc Thorac Surg* **2012**; 14:599-604.

Nilsson, J.; Scicluna, S.; Malmkvist, G.; Pierre, L.; A randomized study of coronary artery bypass surgery performed with the Resting Heart System utilizing a low vs a standard dosage of heparin. *Interact Cardiovasc Thorac Surg* **2012**, 15, (5).

Chryssos, A.; Stroup, S. J.; Pifer, M. M.; Tawil, M.; Conrad, C. G. Management of Heparin-Resistant Patients with Benefits? Maximizing Biocompatibility in Cardiopulmonary Bypass: Combining ATryn® Recombinant Antithrombin III and Carmeda® Heparin-Bonded Perfusion Circuits: A Case Series. *The journal of extra-corporeal technology*. **2015**, 44–47.

Clinical – Extracorporeal circulation; Long term assist

Bindsvlev, L.; Eklund, J.; Norlander, O.; Swedenborg, J.; Olsson, P.; Nilsson, E.; Larm, O.; Gouda, I.; Malmberg, A.; Scholander, E., Treatment of acute respiratory failure by extracorporeal carbon dioxide elimination performed with a surface heparinized artificial lung. *Anesthesiology* **1987**, 67, (1), 117-120.

Peters, J.; Radermacher, P.; Kuntz, M. E.; Rosenbauer, K. A.; Breulmann, M.; Burring, K. F.; Hopf, H. B.; Rossaint, R.; Schulte, H. D.; Olsson, P.; et, a. I., Extracorporeal CO₂-removal with a heparin coated artificial lung. *Intensive Care Med* **1988**, 14, (5), 578-584.

Bindsvlev, L., Adult ECMO performed with surface-heparinized equipment. *ASAIO Trans* **1988**, 34, (4), 1009-1013.

Rossaint, R.; Slama, K.; Bauer, R.; Nienhaus, M.; Barth, H.; Weidemann, H.; Falke, K. J., Extracorporeal CO₂-removal with a heparin coated extracorporeal system. *Intensive Care Med* **1990**, 16, (5), 344-5.

Bjertnaes, L. J.; Olafsen, K.; Nilsen, P. A.; Brondbo, A.; Thoner, J.; Vaage, J.; Solbo, J.; Hansen, K.; Jolin, A., [Extracorporeal membrane oxygenation. A therapeutic alternative in acute heart and/or pulmonary failure?]. *Tidsskr Nor Laegeforen* **1991**, 111, (12), 1477-1480.

Bindsvlev, L.; Bohm, C.; Jolin, A.; Hambræus Jonzon, K.; Olsson, P.; Ryniak, S., Extracorporeal carbon dioxide removal performed with surface-heparinized equipment in patients with ARDS. *Acta Anaesthesiol Scand Suppl* **1991**, 95, 125-30; discussion 130-1.

Koul, B.; Wetterberg, T.; Ohqvist, G.; Olsson, P., Veno-venous extracorporeal membrane oxygenation with a heparin-coated system in adult respiratory distress syndrome. *Scand J Thorac Cardiovasc Surg* **1991**, 25, (3), 199-206.

Wetterberg, T.; Steen, S., Total extracorporeal lung assist--a new clinical approach. *Intensive Care Med* **1991**, 17, (2), 73-77.

Knoch, M.; Kollen, B.; Dietrich, G.; Muller, E.; Mottaghy, K.; Lennartz, H., Progress in veno-venous long-term bypass techniques for the treatment of ARDS. Controlled clinical trial with the heparin-coated bypass circuit. *Int J Artif Organs* **1992**, 15, (2), 103-8.

Rossaint, R.; Slama, K.; Lewandowski, K.; Frey, D. J.; Weidemann, H.; Fuchs, J.; Nienhaus, M.; Henin, P.; Falke, K., Major thoracic surgery during long-term extracorporeal lung assist for treatment of severe adult respiratory distress syndrome (ARDS). *Eur J Cardiothorac Surg* **1992**, 6, (1), 43-45.

Rossaint, R.; Slama, K.; Lewandowski, K.; Streich, R.; Henin, P.; Hopfe, T.; Barth, H.; Nienhaus, M.; Weidemann, H.; Lemmens, P.; et, a. I., Extracorporeal lung assist with heparin-coated systems. *Int J Artif Organs* **1992**, 15, (1), 29-34.

Willms, D.; Dembitsky, W., Prolonged extracorporeal support for ARDS using surface-heparinized equipment. *Chest* **1992**, 102, (3), 968-970.

Bennett, J.; Hill, J.; Long, W.; Parsons, J.; Bruhn, P.; Starr, A.; Hovaguimian, H.; Okies, J. E., Biocompatible circuits: an adjunct to non-cardiac extracorporeal cardiopulmonary support. *J Extra Corpor Technol* **1992**, 24, (2), 6-11.

Aranki, S. F.; Adams, D. H.; Rizzo, R. J.; Couper, G. S.; DeCamp, M. M.; Fitzgerald, D. J.; Cohn, L. H., Femoral veno-arterial extracorporeal life support with minimal or no heparin. *Ann Thorac Surg* **1993**, 56, (1), 149-155.

Tsuno, K.; Terasaki, H.; Otsu, T.; Okamoto, T.; Sakanashi, Y.; Morioka, T., Newborn extra-corporeal lung assist using a novel double lumen catheter and a heparin-bonded membrane lung. *Intensive Care Med* **1993**, 19, (2), 70-72.

Fjalldal, O.; Torfason, B.; Onundarson, P. T.; Thorsteinsson, A.; Vigfusson, G.; Stefansson, T.; Magnusson, V., Prolonged total extracorporeal lung assistance without systemic heparinization. *Acta Anaesthesiol Scand* **1993**, 37, (1), 115-120.

Lazzara, R. R.; Magovern, J. A.; Benckart, D. H.; Maher TD, J. r.; Sakert, T.; Magovern GJ, J. r., Extracorporeal membrane oxygenation for adult post cardiectomy cardiogenic shock using a heparin bonded system. *ASAIO J* **1993**, 39, (3), M444-7.

Bennett, J. B.; Hill, J. G.; Long WB, 3. r.; Bruhn, P. S.; Haun, M. M.; Parsons, J. A., Interhospital transport of the patient on extracorporeal cardiopulmonary support. *Ann Thorac Surg* **1994**, 57, (1), 107-111.

Willms, D. C.; Wachtel, T. L.; Daleiden, A. L.; Dembitsky, W. P.; Schibanoff, J. M.; Gibbons, J. A., Venovenous extracorporeal life support in traumatic bronchial disruption and adult respiratory distress syndrome using surface-heparinized equipment: case report. *J Trauma* **1994**, 36, (2), 252-254.

Magovern GJ, J. r.; Magovern, J. A.; Benckart, D. H.; Lazzara, R. R.; Sakert, T.; Maher TD, J. r.; Clark, R. E., Extracorporeal membrane oxygenation: preliminary results in patients with postcardiotomy cardiogenic shock. *Ann Thorac Surg* **1994**, 57, (6), 1462-8; discussion 1469-7.

Muehrcke, D. D.; McCarthy, P. M.; Stewart, R. W.; Seshagiri, S.; Ogella, D. A.; Foster, R. C.; Cosgrove, D. M., Complications of extracorporeal life support systems using heparin-bound surfaces. The risk of intracardiac clot formation. *J Thorac Cardiovasc Surg* **1995**, 110, (3), 843-851.

Ehren, H.; Palmer, K.; Eriksson, M.; Frenckner, B., Pediatric ECMO for pulmonary support: experience from 12 cases. *Acta Paediatr* **1995**, 84, (4), 442-446.

Yamanishi, H.; Watanabe, S.; Hayashi, K., [Relatively long time use of percutaneous cardiopulmonary support after unsuccessful weaning from intra-operative extracorporeal circulation--clinical considerations from an experience of 5 patients]. *Nippon Kyobu Geka Gakkai Zasshi JT - [Zasshi] [Journal]*. *Nihon Kyobu Geka Gakkai* **1995**, 43, (10), 1783-7.

Wang, S. S.; Chen, Y. S.; Ko, W. J.; Chu, S. H., Extracorporeal membrane oxygenation support for postcardiotomy cardiogenic shock. *Artif Organs* **1996**, 20, (12), 1287-91

del Nido, P. J., Extracorporeal membrane oxygenation for cardiac support in children. *Ann Thorac Surg* **1996**, 61, (1), 336-9; discussion 340-1.

Muehrcke, D. D.; McCarthy, P. M.; Stewart, R. W.; Foster, R. C.; Ogella, D. A.; Borsh, J. A.; Cosgrove DM, 3. r., Extracorporeal membrane oxygenation for postcardiotomy cardiogenic shock. *Ann Thorac Surg* **1996**, 61, (2), 684-691.

Musch, G.; Verweij, M.; Bombino, M.; Banfi, G.; Fumagalli, R.; Pesenti, A., Small pore size microporous membrane oxygenator reduces plasma leakage during prolonged extracorporeal circulation: a case report. *Int J Artif Organs* **1996**, 19, (3), 177-180.

Ko, W. J.; Chen, Y. S.; Chou, N. K.; Wang, S. S.; Chu, S. H., Extracorporeal membrane oxygenation in the perioperative period of heart transplantation. *J Formos Med Assoc* **1997**, 96, (2), 83-90.

Gerlach, M.; Fohre, B.; Keh, D.; Riess, H.; Falke, K. J.; Gerlach, H., Global and extended coagulation monitoring during extracorporeal lung assist with heparin-coated systems in ARDS patients. *Int J Artif Organs* **1997**, 20, (1), 29-36.

Usui, A.; Murakami, F.; Ooshima, H.; Tomita, Y.; Yoshida, K.; Hibi, M.; Kawamura, M.; Muras, M., A clinical study for the durability of oxygenators on cardiopulmonary support. *Artif Organs* **1997**, 21, (7), 772-778.

Karle, V. A.; Short, B. L.; Martin, G. R.; Bulas, D. I.; Getson, P. R.; Luban, N. L.; O'Brien, A. M.; Rubin, R. J., Extracorporeal membrane oxygenation exposes infants to the plasticizer, di(2-ethylhexyl)phthalate. *Crit Care Med* **1997**, 25, (4), 696-703.

Jacobs, J. P.; Ojito, J. W.; McConaghey, T. W.; Boden, B. D.; Chang, A. C.; Aldousany, A.; Zahn, E. M.; Burke, R. P., Rapid cardiopulmonary support for children with complex congenital heart disease. *Ann Thorac Surg* **2000**, 70, (3), 742-9; discussion 749-50.

Chou, N. K.; Chen, Y. S.; Ko, W. J.; Huang, S. C.; Chao, A.; Jan, G. J.; Lin, F. Y.; Wang, S. S.; Chu, S. H., Application of extracorporeal membrane oxygenation in adult burn patients. *Artif Organs* **2001**, 25, (8), 622-626.

Pereszlenyi, A.; Lang, G.; Steltzer, H.; Hetz, H.; Kocher, A.; Neuhauser, P.; Wisser, W.; Klepetko, W., Bilateral lung transplantation with intra- and postoperatively prolonged ECMO support in patients with pulmonary hypertension. *Eur J Cardiothorac Surg* **2002**, 21, (5), 858-863.

Lin, R.; Tan, L. H.; Zhang, Z. W.; Sun, M. Y.; Du, L. Z., [Extracorporeal membrane oxygenation treatment of a neonate with severe low cardiac output syndrome following open heart surgery]. *Zhonghua Er Ke Za Zhi* **2008**, 46, (1), 26-29.

Zhao, J.; Liu, J.; Feng, Z.; Hu, S.; Liu, Y.; Sheng, X.; Li, S.; Wang, X.; Long, C., Clinical outcomes and experience of 20 pediatric patients treated with extracorporeal membrane oxygenation in Fuwai Hospital. *ASAIO J* **2008**, 54, (3), 302-305.

Clinical – Extracorporeal circulation; Other

Jolin, A.; Eden, E.; Berggren, H.; Roos, A.; von Essen, C.; Stephensen, H.; Hedstrom, A.; Karlsson, H.; Lindholm-Fransson, L.; Ricksten, S. E., Management of a giant intracranial aneurysm using surface-heparinized extracorporeal circulation and controlled deep hypothermic low flow perfusion. A case report. *Acta Anaesthesiol Scand* **1993**, 37, (8), 756-760.

Contino, J. P.; Follette, D. M.; Berkoff, H. A.; Pollock, M. E.; Bogren, H.; Wisner, D. H., Use of Carmeda-coated femoral-femoral bypass during repair of traumatic aortic pseudoaneurysms. *Arch Surg* **1994**, 129, (9), 933-7; discussion 937-9.

Sander-Jensen, K.; Krogager, G.; Pettersson, G., Left atrial-aortic/femoral bypass with a centrifugal pump without systemic heparin during surgery on the descending aorta. *Artif Organs* **1995**, 19, (7), 774-6.

Tyndal CM, J. r.; Rose, M. W.; McFalls, R. E.; Jacks, A.; Pinson, T.; Athanasuleas, C. L., Profound accidental hypothermia in the deep South: clinical experience. *Perfusion* **1996**, 11, (1), 57-60.

Morishita, K.; Inoue, S.; Baba, T.; Sakata, J.; Kazui, T.; Abe, T., Our distal aortic perfusion system in descending thoracic and thoracoabdominal aortic aneurysm repairs. *Artif Organs* **1997**, 21, (7), 822-4.

Sasaki, A.; Kazui, T.; Ohkawa, Y.; Doi, H.; Sugiki, K.; Ohno, T., A case of two stage operation of thoracic and thoracoabdominal aortic aneurysm of a patient in late phase with Behcet's disease. *Kyobu Geka* **1997**, 50, (11), 954-957.

Mesana, T.; Collart, F.; Caus, T.; Pomane, C.; Graziani, N.; Bruder, N.; Dufour, H.; Grisoli, F.; Monties, J. R., Centrifugal pumps and heparin-coated circuits in surgical treatment of giant cerebral aneurysms. *Artif Organs* **2000**, 24, (6), 431-436.

Hattori, K.; Suehiro, S.; Shibata, T.; Sasaki, Y.; Kumano, H.; Kinoshita, H., Use of A heparin-coated circuit for extracorporeal circulation with selective cerebral perfusion. *Osaka City Med J* **2000**, 46, (2), 111-118.

Ko, W. J.; Chen, Y. S.; Lee, Y. C., Replacing cardiopulmonary bypass with extracorporeal membrane oxygenation in lung transplantation operations. *Artif Organs* **2001**, 25, (8), 607-612.

Scholz, T.; Solberg, R.; Okkenhaug, C.; Videm, V.; Gallimore, M. J.; Mathisen, O.; Mollnes, T. E.; Bergan, A.; Soreide, O.; Klintmalm, G. B.; Aasen, A. O., The significance of heparin-coated veno-venous bypass circuits in liver transplantation. *Perfusion* **2002**, 17, (1), 45-50.

Hachiro, Y.; Morishita, K.; Koshima, R.; Nakashima, S.; Takagi, N.; Tsukamoto, M.; Abe, T.; Hashi, K., Hypothermia with heparin-coated circuits and low dose systemic heparinization in neurosurgery. *Artif Organs* **2002**, 26, (6), 551-5.

Morishita, K.; Kawaharada, N.; Fukada, J.; Hachiro, Y.; Kurimoto, Y.; Fujisawa, Y.; Saito, T.; Abe, T., Descending thoracic aortic aneurysm repair with the aid of partial cardiopulmonary bypass: heparin-coated circuits versus nonheparin-coated circuits. *Artif Organs* **2005**, 29, (4), 300-305.

Miraziz, R.; Hines, L.; Brouwer, M.; Steel, R.; Klineberg, P., Bridging circuit for the resection of retroperitoneal sarcoma involving the aorta and the IVC- veno-venous to veno-arterial perfusion. *Perfusion* **2008**, 23, (1), 65-69.

Clinical – Ventricular assist

Bianchi, J. J.; Swartz, M. T.; Raithel, S. C.; Braun, P. R.; Illes, M. Z.; Barnett, M. G.; Pennington, D. G., Initial clinical experience with centrifugal pumps coated with the Carmeda process. *ASAIO J* **1992**, 38, (3), M143-6.

Nishida, H.; Koyanagi, H.; Hashimoto, A.; Endo, M.; Aomi, S.; Koyanagi, T.; Hirota, J.; Tagusari, O.; Yamaki, F., Clinical experience of assisted circulation with a centrifugal pump at Tokyo Women's Medical College. *Artif Organs* **1993**, 17, (7), 625-629.

Magovern GJ, J. r., The biopump and postoperative circulatory support. *Ann Thorac Surg* **1993**, 55, (1), 245-249.

Williams, M. R.; Quaegebeur, J. M.; Hsu, D. T.; Addonizio, L. J.; Kichuk, M. R.; Oz, M. C., Biventricular assist device as a bridge to transplantation in a pediatric patient. *Ann Thorac Surg* **1996**, 62, (2), 578-580.

Kaufmann, F.; Hennig, E.; Loebe, M.; Hetzer, R., Improving the Antithrombogenicity of Artificial Surfaces through Heparin Coating - Clinical experience with the pneumatic extracorporeal Berlin Heart Assist Device. *Cardiovascular engineering* **1996**, 1, (1), 40-44.

Hetzer, R.; Loebe, M.; Potapov, E. V.; Weng, Y.; Stiller, B.; Hennig, E.; Alexi-Meskishvili, V.; Lange, P. E., Circulatory support with pneumatic paracorporeal ventricular assist device in infants and children. *Ann Thorac Surg* **1998**, 66, (5), 1498-1506

Pavie, A.; Leger, P.; Nzomvuama, A.; Szefer, J.; Regan, M.; Vaissier, E.; Gandjbakhch, I., Left centrifugal pump cardiac assist with transseptal percutaneous left atrial cannula. *Artif Organs* **1998**, 22, (6), 502-507.

Koster, A.; Sanger, S.; Hansen, R.; Sodian, R.; Mertzluft, F.; Harke, C.; Kuppe, H.; Hetzer, R.; Loebe, M., Prevalence and persistence of heparin/platelet factor 4 antibodies in patients with heparin coated and noncoated ventricular assist devices. *ASAIO J* **2000**, 46, (3), 319-322.

Drews, T.; Loebe, M.; Hennig, E.; Kaufmann, F.; Muller, J.; Hetzer, R., The 'Berlin Heart' assist device. *Perfusion* **2000**, 15, (4), 387-396.

Koster, A.; Loebe, M.; Sodian, R.; Potapov, E. V.; Hansen, R.; Muller, J.; Mertzluft, F.; Crystal, G. J.; Kuppe, H.; Hetzer, R., Heparin antibodies and thromboembolism in heparin-coated and noncoated ventricular assist devices. *J Thorac Cardiovasc Surg* **2001**, 121, (2), 331-335.

Bonaros, N. E., Carmeda biocative surface minimizes platelet activation after implantation of the Micromed debakey VAD. *ASAIO* **2003**, 49, (2), 154-154.

Goldstein, D. J., Worldwide experience with the MicroMed DeBakey Ventricular Assist Device as a bridge to transplantation. *Circulation* **2003**, 108, (10 Suppl 1), 272-277.

Merkle, F.; Boettcher, W.; Stiller, B.; Hetzer, R., Pulsatile mechanical cardiac assistance in pediatric patients with the Berlin heart ventricular assist device. *J Extra Corpor Technol* **2003**, 35, (2), 115-120.

Kucukaksu, D. S.; Sener, E.; Undar, A.; Noon, G. P.; Tasdemir, O., First Turkish experience with the MicroMed DeBakey VAD. *Tex Heart Inst J* **2003**, 30, (2), 114-120.

Stiller, B.; Hetzer, R.; Weng, Y.; Hummel, M.; Hennig, E.; Nagdyman, N.; Ewert, P.; Lehmkuhl, H.; Lange, P. E., Heart transplantation in children after mechanical circulatory support with pulsatile pneumatic assist device. *J Heart Lung Transplant* **2003**, 22, (11), 1201-1208.

Hetzer, R.; Potapov, E. V.; Weng, Y.; Sinawski, H.; Knollmann, F.; Komoda, T.; Hennig, E.; Pasic, M., Implantation of MicroMed DeBakey VAD through left thoracotomy after previous median sternotomy operations. *Ann Thorac Surg* **2004**, 77, (1), 347-350.

Dewald, O.; Schmitz, C.; Diem, H.; Goehring, P.; Vetter, H. O.; Roell, W.; Goedje, O.; Tschoepe, D.; Reichart, B., Platelet activation markers in patients with heart assist device. *Artif Organs* **2005**, 29, (4), 292-299.

Thoennissen, N. H.; Schneider, M.; Allroggen, A.; Ritter, M.; Dittrich, R.; Schmid, C.; Scheld, H. H.; Ringelstein, E. B.; Nabavi, D. G., High level of cerebral microembolization in patients supported with the DeBakey left ventricular assist device. *J Thorac Cardiovasc Surg* **2005**, 130, (4), 1159-1166.

Stiller, B.; Weng, Y.; Hubler, M.; Lemmer, J.; Nagdyman, N.; Redlin, M.; Lange, P. E.; Hetzer, R., Pneumatic pulsatile ventricular assist devices in children under 1 year of age. *Eur J Cardiothorac Surg* **2005**, 28, (2), 234-239

Eghtesady, P.; Nelson, D.; Schwartz, S. M.; Wheeler, D.; Pearl, J. M.; Cripe, L. H.; Manning, P. B., Heparin-Induced Thrombocytopenia Complicating Support by the Berlin Heart. *ASAIO J* **2005**, 51, (6), 820-825.

Hetzer, R.; Alexi-Meskishvili, V.; Weng, Y.; Hubler, M.; Potapov, E.; Drews, T.; Hennig, E.; Kaufmann, F.; Stiller, B., Mechanical cardiac support in the young with the Berlin Heart EXCOR pulsatile ventricular assist device: 15 years' experience. *Semin Thorac Cardiovasc Surg Pediatr Card Surg Annu JT - Seminars in thoracic and cardiovascular surgery. Pediatric cardiac surgery annual*. **2006**, , 99-108.

Hetzer, R.; Potapov, E. V.; Stiller, B.; Weng, Y.; Hubler, M.; Lemmer, J.; Alexi-Meskishvili, V.; Redlin, M.; Merkle, F.; Kaufmann, F.; Hennig, E., Improvement in survival after mechanical circulatory support with pneumatic pulsatile ventricular assist devices in pediatric patients. *Ann Thorac Surg JT - The Annals of thoracic surgery* **2006**, 82, (3), 917-24; discussion 924-5.

Potapov, E. V.; Hetzer, R., Pediatric Berlin heart excor. *Ann Thorac Cardiovasc Surg JT - Annals of thoracic and cardiovascular surgery : official journal of the Association of Thoracic and Cardiovascular Su* **2006**, 12, (2), 155.

Riesenfeld, J.; Ries, D.; Hetzer, R., Analysis of the heparin coating of an EXCOR Ventricular Assist Device after 855 days in a patient. *Society for Biomaterials Transactions of the 32rd annual meeting* **2007**

Gandhi, S. K.; Huddleston, C. B.; Balzer, D. T.; Epstein, D. J.; Boschert, T. A.; Canter, C. E., Biventricular assist devices as a bridge to heart transplantation in small children. *Circulation* **2008**, 118, (14 Suppl), S89-93.

Krokstrom, A. K.; Higgins, T.; Johansson, S.; Jogi, P., Use of pediatric Berlin Heart EXCOR biventricular device as a bridge to retransplantation in a 10-month-old infant with acute graft failure after cardiac transplantation. *ASAIO J* **2009**, 55, (5), 525-526.

Januszewska, K.; Malec, E.; Birnbaum, J.; Loeff, M.; Sodian, R.; Schmitz, C.; Netz, H.; Reichart, B., Ventricular assist device as a bridge to heart transplantation in children. *Interact Cardiovasc Thorac Surg* **2009** Nov, 807-810.

Tjan, T. D.; Hoffmeier, A.; Scheld, H. H.; Klotz, S., Ventricular assist device implantation in neonates: adjustment of the BerlinHeart EXCOR arterial cannula with bovine pericardium. *J Thorac Cardiovasc Surg* **2010**, 139, (3), 783-784

Brancaccio, G.; Amodeo, A.; Ricci, Z.; Morelli, S, Mechanical assist device as a bridge to heart transplantation in children less than 10 kilograms. *Ann Thorac Surg* **2010**, 90, (1), 58-62.

Morales, D. L.; Almond, C. S.; Jaquiss, R. D.; Rosenthal, D. N., Bridging children of all sizes to cardiac transplantation: The initial multicenter North American experience with the Berlin Heart EXCOR ventricular assist device. *J Heart Lung Transplant* **2011**, 30, (1), 1-8.

Hetzer, R.; Potapov, E. V.; Alexi-Meskishvili, V.; Weng, Y.; Miera, O.; Berger, F.; Hennig, E.; Hubler, M., Single-center experience with treatment of cardiogenic shock in children by pediatric ventricular assist devices. *J Thorac Cardiovasc Surg* **2011**, 141, (3), 616-623.e1.

Almond CS, Buchholz H, Massicotte P, Ichord R, Rosenthal DN, Uzark K, Jaquiss RD, Kroschwitz R, Kepler MB, Lobbetael A, Bellinger D, Blume ED, Fraser CD, Jr., Bartlett RH, Thiagarajan R, Jenkins K. Berlin Heart EXCOR Pediatric ventricular assist device Investigational Device Exemption study: Study design and rationale. *Am Heart J* **2011**;162:425-435.

Fraser, C. D., Jr.; Jaquiss, R. D.; Rosenthal, D. N.; Humpl, T.; Canter, C. E., Prospective trial of a pediatric ventricular assist device. *N Engl J Med* **2012**, 367, (6), 532-41

Werkkala, K.; Jokinen, J. J.; Soininen, L.; Dellgren, G.; Hallhagen, S.; Sundberg, F.; Andersson, J.; Dahms, L. I.; Jurrmann, N.; Ersel, S. Clinical Durability of the CARMEDA® BioActive Surface in EXCOR® VAD Pumps. *ASAIO Journal*. **2016**, Mar-Apr; 62(2):139-42

Clinical – Peripheral vascular surgery

Mayer, B.; Kretschmer, R.; Gunzenhauser, E., Interposition connectors with heparin coating for vascular anastomosis of microsurgical tissue flaps]. *Laryngorhinootologie* **1992**, 71, (7), 359-361.

Peeters, P.; Bosiers, M.; Verbist, J.; Deloose, K., Addressing Early graft failure: Midterm results with the Gore-Tex propaten Vascular Graft. *J Endovasc Ther* **2004**, 11 (supplement), 31-32.

Walluscheck, K. P.; Bierkandt, S.; Brandt, M.; Cremer, J., Infrainguinal ePTFE vascular graft with bioactive surface heparin bonding. First clinical results. *J Cardiovasc Surg (Torino)* **2005**, 46, (4), 425-430.

Dorigo, W., Lower limb below-knee revascularization with a new bioactive prosthetic graft. A case-control study. *J Vasc Endovasc Surg* **2005**, , (12), 75-81.

Bosiers, M.; Deloose, K.; Verbist, J.; Schroe, H.; Lauwers, G.; Lansink, W.; Peeters, P., Heparin-bonded expanded polytetrafluoroethylene vascular graft for femoropopliteal and femorocrural bypass grafting: 1-year results. *J Vasc Surg JT - Journal of vascular surgery : official publication, the Society for Vascular Surgery [and] International Society for Cardiovascular* **2006**, 43, (2), 313-318.

Battaglia, G.; Tringale, R.; Monaca, V., Retrospective comparison of a heparin bonded ePTFE graft and saphenous vein for infragenicular bypass: implications for standard treatment protocol. *J Cardiovasc Surg (Torino) JT - The Journal of cardiovascular surgery*. **2006**, 47, (1), 41-47.

Peeters, P.; Verbist, J.; Deloose, K.; Bosiers, M., Results with heparin bonded polytetrafluoroethylene grafts for femorodistal bypasses. *J Cardiovasc Surg (Torino) JT - The Journal of cardiovascular surgery*. **2006**, 47, (4), 407-413.

Walluscheck, Heparin bonded expanded polytetrafluoroethylene vascular graft for occlusive vascular disease of the lower extremity. *The Italian Journal of Vascular and Endovascular Surgery* **2006**, 13, (3), 137-147.

Dorigo, W.; Di Carlo, F.; Troisi, N.; Pratesi, G.; Innocenti, A. A.; Pulli, R.; Pratesi, C., Lower limb revascularization with a new bioactive prosthetic graft: early and late results. *Ann Vasc Surg* **2008**, 22, (1), 79-87.

Heyligers, J. M.; Lisman, T.; Verhagen, H. J.; Weeterings, C.; de Groot, P. G.; Moll, F. L., A heparin-bonded vascular graft generates no systemic effect on markers of hemostasis activation or detectable heparin-induced thrombocytopenia-associated antibodies in humans. *J Vasc Surg* **2008**, 47, (2), 324-329.

Dorrucchi, V.; Griselli, F.; Petralia, G.; Spinamano, L.; Adornetto, R., Heparin-bonded expanded polytetrafluoroethylene grafts for infragenicular bypass in patients with critical limb ischemia: 2-year results. *J Cardiovasc Surg (Torino)* **2008**, 49, (2), 145-149.

Peeters, P.; Verbist, J.; Deloose, K.; Bosiers, M., Will heparin-bonded PTFE replace autologous venous conduits in infrapopliteal bypass? *J Vasc Endovasc Surg* **2008**, 15, 143-148

Thakur, S.; Pigott, J. P.; Comerota, A. J., Heparin-induced thrombocytopenia after implantation of a heparin-bonded polytetrafluoroethylene lower extremity bypass graft: A case report and plan for management. *J Vasc Surg* **2009**, 49, (4), 1037-1040

Daenens, K.; Schepers, S.; Fourneau, I.; Houthoofd, S.; Nevelsteen, A., Heparin-bonded ePTFE grafts compared with vein grafts in femoropopliteal and femorocrural bypasses: 1- and 2-year results. *J Vasc Surg* **2009**, 49, (5), 1210-1216.

Hugl, B.; Nevelsteen, A.; Daenens, K.; Alonso Perez, M.; Heider, P.; Railo, M.; Schelzig, H.; Gluecklich, B.; Balzer, K.; Vermassen, F.; De Smit, P.; Fraedrich, G., PEPE II - A multicenter study with an end-point heparin-bonded expanded polytetrafluoroethylene vascular graft for above and below knee bypass surgery: determinants of patency. *J Cardiovasc Surg (Torino)* **2009**, 50, (2), 195-203

Neville, R.; Babrowicz, J.; Deaton, D. H., Surgical approaches to chronic limb ischemia. *Endovascular today* **2009**, 8, (5), 48-56.

Davidson, I.; Hackerman, C.; Kapadia, A.; Minhajuddin, A., Heparin bonded hemodialysis ePTFE grafts result in 20% clot free survival benefit. *J Vasc Access* **2009**, 10, (3), 153-156.

Pulli, R.; Dorigo, W.; Castelli, P.; Dorrucchi, V, Midterm results from a multicenter registry on the treatment of infrainguinal critical limb ischemia using a heparin-bonded ePTFE graft. *J Vasc Surg* **2010**, 51, (5), 1167-1177.e1.

Thermann, F.; Wollert, U.; Ukkat, J.; Dralle, H., Proximalization of the arterial inflow (PAI) in patients with dialysis access-induced ischemic syndrome: First report on long-term clinical results. *J Vasc Access* **2010**, 11, (2), 143-149.

Kasirajan K. Outcomes Following Heparin-Induced Thrombocytopenia in Patients with Heparin Bonded Vascular Grafts. *Journal of Vascular Surgery Abstracts of the 2011 Vascular Annual Meeting, 2011 Vascular Annual Meeting* **2011**; 53:17S-8S

Gabrielli R, Siani A, Rosati MS, Antonelli R, Accrocca F, Giordano GA, Marcucci G. Heparin-induced thrombocytopenia type II because of heparin-coated polytetrafluoroethylene graft used to bypass. *Ann Vasc Surg* **2011**; 25:840

Dorigo W, Pulli R, Castelli P, Dorrucchi V, Ferilli F, De Blasis G, Monaca V, Vecchiati E, Pratesi C, CN - PIRG. A multicenter comparison between autologous saphenous vein and heparin-bonded expanded polytetrafluoroethylene (ePTFE) graft in the treatment of critical limb ischemia in diabetics. *J Vasc Surg* **2011**;54:1332-8.

Chan MG, Miller FJ, Valji K, Kuo MD. Evaluation of expanded polytetrafluoroethylene-covered stents for the treatment of venous outflow stenosis in hemodialysis access grafts. *J Vasc Interv Radiol* **2011**; 22:647-53

Lindholt JS, Gottschalksen B, Johannesen N. The Scandinavian Propaten trial - 1-year patency of PTFE vascular prostheses with heparin-bonded luminal surfaces compared to ordinary pure PTFE vascular prostheses - a randomised clinical controlled multi-centre trial. *Eur J Vasc Endovasc Surg* **2011**; 41:668-73.

Charlton-Ouw KM, Nosrati N, Miller CC, Coogan SM, Safi HJ, Azizzadeh A. Outcomes of arteriovenous fistulae compared with heparin-bonded and conventional grafts for hemodialysis access. *J Vasc Access* **2012**; 13:163-7.

Tatterton, M.; Wilshaw, S. P.; Ingham, E.; Homer-Vanniasinkam, S., The use of antithrombotic therapies in reducing synthetic small-diameter vascular graft thrombosis. *Vasc Endovascular Surg* **2012**, 46, (3), 212-22.

Kasirajan, K., Outcomes after heparin-induced thrombocytopenia in patients with Propaten vascular grafts. *Ann Vasc Surg* **2012**, 26, (6).

Dorigo, W.; Pulli, R.; Piffaretti, G.; Castelli, P.; Griselli, F.; Results from an Italian multicentric registry comparing heparin-bonded ePTFE graft and autologous saphenous vein in below-knee femoro-popliteal bypasses. *J Cardiovasc Surg (Torino)* **2012**, 53, (2), 187-194.

Neville, R. F.; Capone, A.; Amdur, R.; A comparison of tibial artery bypass performed with heparin-bonded expanded polytetrafluoroethylene and great saphenous vein to treat critical limb ischemia. *J Vasc Surg*, **2012**, 56, (4).

Bellosta, R.; Natalini, G.; Luzzani, L. Comparison of precuffed expanded polytetrafluoroethylene and heparin-bonded polytetrafluoroethylene graft in crural bypass. *Ann Vasc Surg* **2013**, 27, (2).

Allemang, M. T.; Schmotzer, B.; Wong, V. L., Heparin bonding does not improve patency of polytetrafluoroethylene arteriovenous grafts. *Ann Vasc Surg*, **2014**, 28, (1).

Tozzi, M.; Franchin, M.; Ietto, G.; Soldini, G.; Carcano, G.; Castelli, P.; Piffaretti, G. Initial Experience with the Gore Acuseal Graft for Prosthetic Vascular Access. *J. Vasc. Access* **2014**, 15 (5), 385–390.

Avgerinos, E. D.; Sachdev, U.; Naddaf, A.; Doucet, D. R.; Mohapatra, A.; Leers, S. A.; Chaer, R. A.; Makaroun, M. S. Autologous Alternative Veins May Not Provide Better Outcomes than Prosthetic Conduits for below-Knee Bypass When Great Saphenous Vein Is Unavailable. *Journal of Vascular Surgery*. **2015**, 62(2), pp 385-391

Gessaroli, M.; Tarantini, S.; Leone, M.; Fabbri, E.; Panzini, I. A Comparison of Femorocrural Bypasses Performed with Modified Heparin-Bonded Expanded Polytetrafluoroethylene Grafts and Those with Great Saphenous Vein Grafts to Treat Critical Limb Ischemia. *Ann. Vasc. Surg.* **2015**, 29 (6), 1255–1264.

Glickman, M. H.; Burgess, J.; Cull, D.; Roy-Chaudhury, P.; Schanzer, H. Prospective Multi-center Study with a 1-Year Analysis of a New Vascular Graft Used for Early Cannulation in Patients Undergoing Hemodialysis. *J. Vasc. Surg.* **2015**, 62 (2), 434–441.

Hock, C.; Betz, T.; Töpel, I.; Bröckner, S.; Steinbauer, M.; Uhl, C. A Comparison of Tibial and Peroneal Venous and HePTFE Bypasses in Diabetics with Critical Limb Ischemia. *The Surgeon: Journal Of The Royal Colleges Of Surgeons Of Edinburgh And Ireland*. **2015** Jul 8. pii: S1479-666X(15)00061-X

Maytham, G. G. D.; Sran, H. K.; Chemla, E. S. The Use of the Early Cannulation Prosthetic Graft (Acuseal™) for Angioaccess for Haemodialysis. *J. Vasc. Access* **2015**, 16 (6), 467–471.

Shemesh, D.; Goldin, I.; Hijazi, J.; Zaghal, I.; Berelowitz, D.; Verstandig, A.; Olsha, O. A Prospective Randomized Study of Heparin-Bonded Graft (Propaten) versus Standard Graft in Prosthetic Arteriovenous Access. *J. Vasc. Surg.* **2015**, 62 (1), 115–122.

Uhl, C.; Hock, C.; Betz, T.; Greindl, M. Comparison of Venous and HePTFE Tibial and Peroneal Bypasses in Critical Limb Ischemia Patients Unsuitable for Endovascular Revascularization. *Vascular*. **2015**, 23(6):607-163.

Tsilimparis, N.; Larena-Avellaneda, A.; Krause, B.; Wipper, S.; Diener, H.; Kölbel, T.; Debus, E. S. Results of the Gore Hybrid Vascular Graft in Challenging Aortic Branch Revascularization during Complex Aneurysm Repair. *Ann. Vasc. Surg.* **2015**, 29 (7), 1426–1433.

Clinical – Coronary stenting

Emanuelsson, H.; van der Giessen, W. J.; Serruys, P. W., Benestent II: back to the future. *J Interv Cardiol* **1994**, 7, (6), 587-92.

Serruys, P., A Progress Report from BENESTENT II: Heparin Coating, Restenosis and Cost-Effectiveness. *J Invasive Cardiol* **1996**, 8 Suppl E, 22E-24E.

Serruys, P. W.; Emanuelsson, H.; van der Giessen, W. J.; Lunn, A. C.; Kiemeney, F.; Macaya, C.; Rutsch, W.; Heyndrickx, G.; Suryapranata, H.; Legrand, V.; Goy, J. J.; Materne, P.; Bonnier, H.; Morice, M. C.; Fajadet, J.; Belardi, J.; Colombo, A., Heparin-coated Palmaz-Schatz stents in human coronary arteries. Early outcome of the Benestent-II Pilot Study. *Circulation* **1996**, 93, (3), 412-22.

Williams, D. O., Dressing up the Palmaz-Schatz stent. *Circulation* **1996**, 93, (3), 400-2.

Stone, G. W.; Brodie, B. R.; Griffin, J. J.; Morice, M. C.; Costantini, C.; St Goar, F. G.; Overlie, P. A.; Popma, J. J.; McDonnell, J.; Jones, D.; O'Neill, W. W.; Grines, C. L., Prospective, multicenter study of the safety and feasibility of primary stenting in acute myocardial infarction: in-hospital and 30-day results of the PAMI stent pilot trial. Primary Angioplasty in Myocardial Infarction Stent Pilot Trial Investigator. *J Am Coll Cardiol* **1998**, 31, (1), 23-30.

van der Giessen, W. J.; van Beusekom, H. M.; Eijgelshoven, M. H.; Morel, M. A.; Serruys, P. W., Heparin-coating of coronary stents. *Semin Interv Cardiol* **1998**, 3, (3-4), 173-176.
Serruys, P. W.; van Hout, B.; Bonnier, H.; Legrand, V.; Garcia, E.; Macaya, C.; Sousa, E.; van der Giessen, W. J.; Colombo, A.; Seabra-Gomes, R.; Kiemeney, F.; Ruygrok, P.; Ormiston, J.; Emanuelsson, H., Randomised comparison of implantation of heparin-coated stents with balloon angioplasty in selected patients with coronary artery disease (Benestent II). *Lancet* **1998**, 352, (9129), 673-81.

Dzavik, V.; Carere, R. G.; Teo, K. K.; Knudtson, M. L.; Marquis, J. F.; Buller, C. E., An open design, multicentre, randomized trial of percutaneous transluminal coronary angioplasty versus stenting, with a heparin-coated stent, of totally occluded coronary arteries: rationale, trial design and baseline patient characteristics. *Can J Cardiol* **1998**, 14, (6), 825-32.

Serruys, P.; Grines, C.; Stone, G.; Garcia, E.; Kiemeney, F.; Morice, M.; Sousa, J.; Hamm, C.; Costantini, C.; Probst, P.; Rutsch, W.; Penn, I.; Fernandez-Aviles, F.; Vandormael, M.; Bartorelli, A.; Bilodeau, L.; Eijgelshoven, M., Stent implantation in acute myocardial infarction using a heparin-coated stent: a pilot study as a preamble to a randomized trial comparing balloon angioplasty and stenting. *Int J Cardiovasc Intervent* **1998**, 1, (1), 19-27.

Buller, C. E.; Dzavik, V.; Carere, R. G.; Mancini, G. B.; Barbeau, G.; Lazzam, C.; Anderson, T. J.; Knudtson, M. L.; Marquis, J. F.; Suzuki, T.; Cohen, E. A.; Fox, R. S.; Teo, K. K., Primary stenting versus balloon angioplasty in occluded coronary arteries: the Total Occlusion Study of Canada (TOSCA). *Circulation* **1999**, 100, (3), 236-42.

Grines, C. L.; Cox, D. A.; Stone, G. W.; Garcia, E.; Mattos, L. A.; Giambartolomei, A.; Brodie, B. R.; Madonna, O.; Eijgelshoven, M.; Lansky, A. J.; O'Neill, W. W.; Morice, M. C., Coronary angioplasty with or without stent implantation for acute myocardial infarction. Stent Primary Angioplasty in Myocardial Infarction Study Group. *N Engl J Med* **1999**, 341, (26), 1949-56.

van der Giessen, W. J., Heparin-Coated Coronary Stents. *Current Interventional Cardiology Reports* **1999**, 1, 234-240.

Dzavik, V.; Carere, R. G.; Mancini, G. B.; Cohen, E. A.; Catellier, D.; Anderson, T. E.; Barbeau, G.; Lazzam, C.; Title, L. M.; Berger, P. B.; Labinaz, M.; Teo, K. K.; Buller, C. E.; CN, T. O. S. o. C. I., Predictors of improvement in left ventricular function after percutaneous revascularization of occluded coronary arteries: a report from the Total Occlusion Study of Canada (TOSCA). *Am Heart J* **2001**, 142, (2), 301-8.

Berger, P. B.; Dzavik, V.; Penn, I. M.; Catellier, D.; Buller, C. E., Does ticlopidine reduce re-occlusion and other adverse events after successful balloon angioplasty of occluded coronary arteries? Results from the Total Occlusion Study of Canada (TOSCA). *Am Heart J* **2001**, 142, (5), 776-81.

Kedev, S.; Guagliumi, G.; Valsechi, O.; Tespili, M., Heparin-coated versus uncoated Palmaz-Schatz stent in native coronary circulation. A randomized study with blind angioscopic assessment. *Int J Artif Organs* **2002**, 25, (5), 461-9.

Mehran, R.; Aymong, E. D.; Ashby, D. T.; Fischell, T.; Whitworth H, J. r.; Siegel, R.; Thomas, W.; Wong, S. C.; Narasimaiah, R.; Lansky, A. J.; Leon, M. B., Safety of an aspirin-alone regimen after intracoronary stenting with a heparin-coated stent: final results of the HOPE (HEPACOAT and an Antithrombotic Regimen of Aspirin Alone) study. *Circulation* **2003**, 108, (9), 1078-83.

Gurbel, P. A.; Bliden, K. P., Platelet activation after stenting with heparin-coated versus non-coated stents. *Am Heart J* **2003**, 146, (4).

Carrozza JP, J. r., Preventing subacute stent thrombosis--is there a role for heparin-coated stents? *J Invasive Cardiol* **2003**, 15, (8), 442-443.

Ruygrok, P. N.; Sim, K. H.; Chan, C.; Rachman, O. J.; Adipranoto, J. D.; Trisnohadi, H. B.; Stewart, J. T.; Ahmad, N.; Mak, K. H.; Yusak, M.; Boestan, I.; Santoso, T.; Suryapranata, H., Coronary intervention with a heparin-coated stent and aspirin only. *J Invasive Cardiol* **2003**, 15, (8), 439-41.

Cruz, D.; Karlsberg, R.; Takano, Y.; Vora, D.; Tobis, J., Subacute stent thrombosis associated with a heparin-coated stent and heparin-induced thrombocytopenia. *Catheter Cardiovasc Interv* **2003**, 58, (1), 80-83

Bittl, J. A., Heparin-coated stent and heparin-induced thrombocytopenia: true, true, and conceivably related. *Catheter Cardiovasc Interv* **2003**, 58, (1), 84-5

Lev, E. I.; Assali, A. R.; Teplisky, I.; Rechavia, E.; Hasdai, D.; Sela, O.; Shor, N.; Battler, A.; Kornowski, R., Comparison of outcomes up to six months of Heparin-Coated with noncoated stents after percutaneous coronary intervention for acute myocardial infarction. *Am J Cardiol* **2004**, 93, (6), 741-3.

Gupta, V.; Aravamuthan, B. R.; Baskerville, S.; Smith, S. K.; Gupta, V.; Lauer, M. A.; Fischell, T. A., Reduction of subacute stent thrombosis (SAT) using heparin-coated stents in a large-scale, real world registry. *J Invasive Cardiol* **2004**, 16, (6), 304-310.

Madduri, J.; Assali, A.; Solodky, A.; Teplizky, I.; Shor, N.; Battler, A.; Kornowski, R., Acute and intermediate-term clinical outcomes following Heparin coated BX coronary stent implantation in patients with thrombus containing lesions. *Int J Cardiovasc Intervent* **2004**, 6, (2), 77-81.

Di Mario, C.; Mara, S.; Flavio, A.; Imad, S.; Antonio, M.; Anna, P.; Emanuela, P.; Stefano de, S.; Angelo, R.; Stefania, C.; Anna, F.; Carmelo, C.; Antonio, C.; Monzini, N.; Bonardi, M. A., Single vs multivessel treatment during primary angioplasty: results of the multicentre randomised HEPacoat for cuLPrit or multivessel stenting for Acute Myocardial Infarction (HELP AML) Study. *Int J Cardiovasc Intervent JT - International journal of cardiovascular interventions*. **2004**, 6, (3-4), 128-33.

Mehran, R.; Nikolsky, E.; Camenzind, E.; Zelizko, M.; Kranjec, I.; Seabra-Gomes, R.; Negoita, M.; Slack, S.; Lotan, C., An Internet-based registry examining the efficacy of heparin coating in patients undergoing coronary stent implantation. *Am Heart J JT - American heart journal*. **2005**, 150, (6), 1171-1176.

Sharma, J.; Kanei, Y.; Kwan, T. W., A case of giant coronary artery aneurysm after placement of a heparin-coated stent. *J Invasive Cardiol* **2009**, 21, (2), E22-3

Clinical – Peripheral stenting

Parkinson, R. J.; Demers, C. P.; Adel, J. G.; Levy, E. I.; Sauvageau, E.; Hanel, R. A.; Shai-bani, A.; Guterman, L. R.; Hopkins, L. N.; Batjer, H. H.; Bendok, B. R., Use of heparin-coated stents in neurovascular interventional procedures: preliminary experience with 10 patients. *Neurosurgery JT - Neurosurgery*. **2006**, 59, (4), 812-21; discussion 821.

Chadda, N.; Museitiff, R.; Djelmami-Hani, M.; Ahmed, M.; Saeed, A.; Kostopoulos, L.; Bangash, A.; Saeed, A.; Gupta, A.; Tumuluri, R.; Shalev, Y.; Allaqaband, S.; Bajwa, T., Heparin-bonded VIABAHN stent graft for SFA lesions: Incidence of stent thrombosis and heparin-induced thrombocytopenia. *American Journal of Cardiology* **2008**, 102, (8), TCT-586.

Elpiniki, T.; Salviato, E.; Rocca, T.; Braccini, L.; Galeotti, R.; Mascoli, F., Heparin surface stent-graft for the treatment of a carotid pseudoaneurysm. *Ann Vasc Surg* **2010**, 24, (7).

Kuhan, G.; Abisi, S.; Braithwaite, B. D.; MacSweeney, S. T.; Whitaker, S. C.; Habib, S. B., Early results with the use of heparin-bonded stent graft to rescue failed angioplasty of chronic femoropopliteal occlusive lesions: TASC D lesions have a poor outcome. *Cardiovasc Intervent Radiol* **2012**, 35, (5), 1023-1028.

Lensvelt, M. M.; Fritschy, W. M.; van Oostayen, J. A.; Results of heparin-bonded ePTFE-covered stents for chronic occlusive superficial femoral artery disease. *J Vasc Surg* **2012**, 56, (1).

Geraghty, P. J.; Mewissen, M. W.; Jaff, M. R.; Ansel, G. M., Three-year results of the VI-BRANT trial of VIABAHN endoprosthesis versus bare nitinol stent implantation for complex superficial femoral artery occlusive disease. *J Vasc Surg* **2013**, 58, (2).

Saxon, R. R.; Chervu, A.; Jones, P. A.; Bajwa, T. K.; Heparin-bonded, expanded polytetrafluoroethylene-lined stent graft in the treatment of femoropopliteal artery disease: 1-year results of the VIPER (Viabahn Endoprosthesis with Heparin Bioactive Surface in the Treatment of Superficial Femoral Artery O. *J Vasc Interv Radiol* **2013**, 24, (2).

Lammer, J.; Zeller, T.; Hausegger, K. A.; Schaefer, P. J.; Gschwendtner, M.; Heparin-bonded covered stents versus bare-metal stents for complex femoropopliteal artery lesions: the randomized VIASTAR trial (Viabahn endoprosthesis with PROPATEN bioactive surface [VIA] versus bare nitinol stent in the treatment of long lesions i. *J Am Coll Cardiol* **2013**, 62, (15).

Zeller, T. .; Peeters, P. .; Bosiers, M. .; Lammer, J. .; Brechtel, K. .; Scheinert, D. .; Rastan, A. . Heparin-Bonded Stent-Graft for the Treatment of Tasc II c and D Femoropopliteal Lesions: The Viabahn-25 Cm Trial. *J. Endovasc. Ther.* **2014**, 21 (6), 765–774.

Piorkowski, M.; Freitas, B.; Steiner, S.; Botsios, S.; Bausback, Y.; Scheinert, D.; Schmidts, A. Twelve-Month Experience with the GORE® TIGRIS® Vascular Stent in the Superficial Femoral and Popliteal Arteries. *Journal of Cardiovascular Surgery*. **2015**, 56(1):89-95

Parthipun, A.; Diamantopoulos, A.; Kitrou, P.; Padayachee, S.; Karunanithy, N.; Ahmed, I.; Zayed, H.; Katsanos, K. Use of a New Hybrid Heparin-Bonded Nitinol Ring Stent in the Popliteal Artery: Procedural and Mid-Term Clinical and Anatomical Outcomes. *Cardiovasc. Intervent. Radiol.* **2015**, 38 (4), 846–854

Mohr, P. J.; Oyama, J. K.; Luu, J. T.; Stinis, C. T. Clinical Outcomes of Endovascular Treatment of TASC-II C and D Femoropopliteal Lesions with the Viabahn Endoprosthesis. *Cardiovasc. Revascularization Med.* **2015**, 16 (8), 465–468.

Bosiers, M.; DeLoose, K.; Callaert, J.; Verbist, J.; Hendriks, J.; Lauwers, P.; Schroe, H.; Lansink, W.; Scheinert, D.; Schmidt, A.; et al. Superiority of Stent-Grafts for in-Stent Restenosis in the Superficial Femoral Artery: Twelve-Month Results from a Multicenter Randomized Trial. *J Endovasc Ther* **2015**, 22 (1), 1–10.

Golchehr, B.; Kruse, R.; Van Walraven, L. A.; Lensvelt, M. M. A.; Zeebregts, C. J.; Reijnen, M. M. P. J. Three-Year Outcome of the Heparin-Bonded Viabahn for Superficial Femoral Artery Occlusive Disease. *J. Vasc. Surg.* **2015**, 62 (4), 984–989.

Kruse, R. R.; Poelmann, F. B.; Doomernik, D.; Burgerhof, H. G. M.; Fritschy, W. M.; Moll, F. L.; Reijnen, M. M. P. J. Five-Year Outcome of Self-Expanding Covered Stents for Superficial Femoral Artery Occlusive Disease and an Analysis of Factors Predicting Failure. *J. Endovasc. Ther.* **2015**, 22 (6), 855–861.

Lammer, J.; Zeller, T.; Hausegger, K. A.; Schaefer, P. J.; Gschwendtner, M.; Mueller-Huelsbeck, S.; Rand, T.; Funovics, M.; Wolf, F.; Rastan, A.; et al. Sustained Benefit at 2 Years for Covered Stents Versus Bare-Metal Stents in Long SFA Lesions: The VIASTAR Trial. *Cardiovasc. Intervent. Radiol.* **2015**, 38 (1), 25–32.

Carmona, J.; Rits, Y.; Jones, B.; Dowers, L.; Bednarski, D.; Rubin, J. R. Patency of the Via-bahn Stent Graft for the Treatment of Outflow Stenosis in Hemodialysis Grafts. *Am. J. Surg.* **2016**, 211(3), 551-554.

Clinical – Other

Albertsson-Wikland, K.; Rosberg, S., Analyses of 24-hour growth hormone profiles in children: relation to growth. *J Clin Endocrinol Metab* **1988**, 67, (3), 493-500.

Albertsson-Wikland, K.; Rosberg, S.; Libre, E.; Lundberg, L. O.; Groth, T., Growth hormone secretory rates in children as estimated by deconvolution analysis of 24-h plasma concentration profiles. *Am J Physiol* **1989**, 257, (6 Pt 1), E809-14.

Appelgren, P.; Ransjo, U.; Bindeslev, L.; Larm, O., Does surface heparinisation reduce bacterial colonisation of central venous catheters? *Lancet* **1995**, 345, (8942), 130.

Venkatesh, B.; Clutton-Brock, T. H.; Hendry, S. P., Evaluation of the Paratrend 7 intravascular blood gas monitor during cardiac surgery: comparison with the C4000 in-line blood gas monitor during cardiopulmonary bypass. *J Cardiothorac Vasc Anesth* **1995**, 9, (4), 412-419.

Appelgren, P.; Ransjo, U.; Bindeslev, L.; Espersen, F.; Larm, O., Surface heparinization of central venous catheters reduces microbial colonization in vitro and in vivo: results from a prospective, randomized trial. *Crit Care Med* **1996**, 24, (9), 1482-9.

Weiss, I. K.; Fink, S.; Edmunds, S.; Harrison, R.; Donnelly, K., Continuous arterial gas monitoring: initial experience with the Paratrend 7 in children. *Intensive Care Med* **1996**, 22, (12), 1414-1417.

Bagge, E.; Bengtsson, B. A.; Carlsson, L.; Carlsson, J., Low growth hormone secretion in patients with fibromyalgia--a preliminary report on 10 patients and 10 controls. *J Rheumatol JT - The Journal of rheumatology* **1998**, 25, (1), 145-148.

Weiss, I. K.; Fink, S.; Harrison, R.; Feldman, J. D.; Brill, J. E., Clinical use of continuous arterial blood gas monitoring in the pediatric intensive care unit. *Pediatrics* **1999**, 103, (2), 440-445.

Cannavo, S.; Bartolone, L.; Lapa, D.; Venturino, M.; Almoto, B.; Violi, A.; Trimarchi, F., Abnormalities of GH secretion in a young girl with Floating-Harbor syndrome. *J Endocrinol Invest* **2002**, 25, (1), 58-64.

Bridges, C., New heparin coating reduces thrombosis and fibrin sheath formation in HD catheters. *Nephrol News Issues JT - Nephrology news & issues* **2007**, 21, (3), 32.

Kvarnstrom, A.; Schmidt, A.; Tylman, M.; Jacobsson, M.; Bengtsson, A., Complement split products and proinflammatory cytokines in intraoperatively salvaged unwashed blood during hip replacement: comparison between heparin-coated and non-heparin-coated autotransfusion systems. *Vox Sang* **2008**, 95, (1), 33-38.

Clark, T. W.; Jacobs, D.; Charles, H. W.; Kovacs, S.; Aquino, T.; Erinjeri, J.; Benstein, J. A., Comparison of heparin-coated and conventional split-tip hemodialysis catheters. *Cardiovasc Intervent Radiol* **2009**, 32, (4), 703-706.

Jain, G.; Allon, M.; Saddekni, S.; Barker, J. F.; Maya, I. D., Does heparin coating improve patency or reduce infection of tunneled dialysis catheters? *Clin J Am Soc Nephrol* **2009**, 4, (11), 1787-1790.

Horer, J.; Cleuziou, J.; Kasnar-Samprec, J.; Schreiber, A Comparative Histopathological Study of Heparin Coated and Uncoated Polytetrafluoroethylene Shunts in Children With Congenital Heart Defect. *World J Pediatr Congenit Heart Surg* **2014**, 5, (3), 385-390.

Review articles

Olsson, P.; Larm, O.; Larsson, R.; Lins, L. E.; Nilsson, E.; Swedenborg, J., Requirements for thromboresistance of surface-heparinized materials. *Ann N Y Acad Sci* **1983**, 416, 525-537.

Larsson, R.; Larm, O.; Olsson, P., The search for thromboresistance using immobilized heparin. *Ann N Y Acad Sci* **1987**, 516, 102-115.

Larm, O.; Larsson, R.; Olsson, P., Surface-immobilized heparin. In *Heparin: Chemical and Biological Properties, Clinical Applications*, Lane, D.; Lindahl, U., Eds. Edward Arnold Press: 1989, pp 597-608.

von Segesser, L. K.; Weiss, B. M.; Turina, M. I., Perfusion with heparin-coated equipment: potential for clinical use. *Semin Thorac Cardiovasc Surg* **1990**, 2, (4), 373-380.

Olsson, P.; Larm, O., Biologically active heparin coating in medical devices. *Int J Artif Organs* **1991**, 14, (8), 453-6.

Mollnes, T. E.; Videm, V.; Riesenfeld, J.; Garred, P.; Svennevig, J. L.; Fosse, E.; Hogasen, K.; Harboe, M., Complement activation and bioincompatibility. The terminal complement complex for evaluation and surface modification with heparin for improvement of biomaterials. *Clin Exp Immunol* **1991**, 86 Suppl 1, 21-26.

von Segesser, L. K.; Schilling, J.; Leskosek, B.; Marquardt, K.; Turina, M., Surface treatments for perfusion devices. *Perfusion* **1994**, 9, (3), 197-205.

Riesenfeld, J.; Olsson, P.; Sanchez, J.; Mollnes, T. E., Surface modification with functionally active heparin. *Med Device Technol* **1995**, 6, (2), 24-31.

von Segesser, L. K., Heparin-bonded surfaces in extracorporeal membrane oxygenation for cardiac support. *Ann Thorac Surg* **1996**, 61, (1), 330-5; discussion 340-1

Palmaz, J. C., New advances in endovascular technology. *Tex Heart Inst J* **1997**, 24, (3), 156-159.

Wendel, H. P.; Ziemer, G., Coating-techniques to improve the hemocompatibility of artificial devices used for extracorporeal circulation. *Eur J Cardiothorac Surg* **1999**, 16, (3), 342-350.

Kocsis, J. F.; Llanos, G.; Holmer, E., Heparin-coated stents. *J Long Term Eff Med Implants* **2000**, 10, (1-2), 19-45.

Olsson, P.; Sanchez, J.; Mollnes, T. E.; Riesenfeld, J., On the blood compatibility of end-point immobilized heparin. *J Biomater Sci Polym Ed* **2000**, 11, (11), 1261-1273.

Riesenfeld, J.; Scholander, E. In *Heparin coating of medical devices*, Polymers for the Medical Industry, Brussels, Belgium, 14th - 15th May, Rapra Technologies, Brussels, Belgium, **2001**, pp 1-4

Reinhartz, O.; Stiller, B.; Eilers, R.; Farrar, D. J., Current clinical status of pulsatile pediatric circulatory support. *ASAIO J* **2002**, 48, (5), 455-459.

Larsson, R., *Heparin-binding to improve biocompatibility*. Encycl Biomat Biomedical Eng Marcel Dekker: **2005**.

Tanzi, M. C., Bioactive technologies for hemocompatibility. *Expert Review of Medical Devices* **2005**, 2,(4), 473-492.

Potapov, E. V.; Stiller, B.; Hetzer, R., Ventricular assist devices in children: current achievements and future perspectives. *Pediatr Transplant JT - Pediatric transplantation* **2007**, 11, (3), 241-255.

Sakariassen, K. S., Blood flow devices in medical research and clinical testing in humans: are we approaching personalized medicine? *Future cardiology* **2007**, 3, (1), 71-90.

Sakariassen, K. S., Thrombus formation and hyperplasia triggered by vascular stents implanted in man. *Int. Rev. of Thromb* **2008**.

Pupka, A.; Janczak, D.; Szyber, P. P., The heparin-bonded ePTFE grafts in revascularisation of the lower limbs. *Polim Med* **2010**, 40, (1), 9-14.

Timms D.; A review of clinical ventricular assist devices, *Med Eng Phys* **2011**; 33:1041-7

Mahmood S, Bilal H, Zaman M, Tang A. Is a fully heparin-bonded cardiopulmonary bypass circuit superior to a standard cardiopulmonary bypass circuit? *Interact Cardiovasc Thorac Surg* **2012**; 14:406-14.

Warkentin, T. Heparin-Coated Intravascular Devices and Heparin-Induced Thrombocytopenia. In *Heparin-Induced Thrombocytopenia*, Fifth Edition. **2012**, 573-590

Shah, P. S.; Shah, N., Heparin-bonded catheters for prolonging the patency of central venous catheters in children. *Cochrane Database Syst Rev* **2014**, 2-25.

Begovac, P. C.; Pond, D.; Recknor, J.; Scholander, E. Thromboresistant Vascular Graft. In *Drug-Device Combinations For Chronic Diseases*. **2015**, 142–181.